

Weston Solutions, Inc.
Suite 1000
14724 Ventura Boulevard
Sherman Oaks, California 91403-3501
818-382-1800 • Fax 818-382-1801
www.westonsolutions.com

February 13, 2006

Mr. Matt Mitguard c/o Ms. Joan Simmons U.S. Environmental Protection Agency 75 Hawthorne Street San Francisco, CA 94105

Subject: Gluall Wood Products Site, Preliminary Assessment Report

Attached is the Preliminary Assessment report for the Gluall Wood Products Site, prepared by Weston Solutions, Inc. (WESTON). Also included are the Report Package Checklist, Transmittal List, Site Reconnaissance Interview and Observation Report/Photographic Documentation, Contact Reports, Latitude and Longitude Calculation Worksheet, photocopies of references, EPA Quick Reference Fact Sheet, HRS Scoresheets and Rationale, and EPA Region 9 GIS report.

If the EPA has comments regarding this report, they should be received by WESTON within one month of this submittal. WESTON will address these comments and resubmit the report within 2 weeks. If you have any questions regarding this report, please do not hesitate to contact me at a.cohan@westonsolutions.com.

Respectfully submitted,

Amanda K. Cohan

Site Leader

Attachments



# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION IX

75 Hawthorne Street San Francisco, CA 94105

NOV 0 2 2009

Sey Jung, Company Trust Site Owner 2945 Garona Drive Hacienda Heights, California 91745

RE:

**Gluall Wood Products** 

EPA ID# CAN000905736

Dear Mr. Sey Jung:

Enclosed is a Preliminary Assessment Report on the Gluall Wood Products Site. This report contains the results of an evaluation conducted by Weston Solutions, Inc for the U.S. Environmental Protection Agency (EPA) under Section 104 of the Comprehensive Environmental Response, Compensation and Liability Act of 1980, as amended [42 U.S.C. 9404], commonly known as Superfund. The purpose of the Preliminary Assessment is to determine whether this site may qualify for placement on the National Priorities List (NPL).

Based on currently available information contained in the enclosed report, EPA has determined that no further assessment is warranted. Although EPA has determined that this site does not qualify for Superfund listing, the State of California may require further assessment or cleanup of this site under State law. You may wish to contact the Department of Toxic Substances Control (DTSC), Rita Kamat at 818/717-6500, for information pertaining to State assessment and cleanup requirements.

Please forward any written comments on the enclosed report to:

Karen Jurist
Site Assessment Manager
U.S. Environmental Protection Agency
75 Hawthorne Street, SFD-6-1
San Francisco, CA 94105

If you have any questions, please call Karen Jurist at 415/972-3219.

Sincerely,

Deborah Schechter, Chief

States, Tribes, and Site Assessment Section

Ahrh Exelect

Superfund Division

**Enclosure** 

cc: Rita Kamat, Department of Toxic Substances Control

#### TRANSMITTAL LIST

Date:

February 2006

Site Name:

**Gluall Wood Products** 

EPA ID No.: CAN000905736

A copy of the Preliminary Assessment report for the above-referenced site should be sent to the following recipients:

Sey Jung, Company Trust Site Owner 2945 Garona Drive Hacienda Heights, California 91745

Rita Kamat California Environmental Protection Agency Department of Toxic Substances Control 1011 North Grandview Avenue Glendale, California 91201

# **APPENDIX A:** Transmittal List

Page 1 of 1

EPA ID: CAN000905736 Site Name: GLUALL WOOD PRODUCTS State ID:

Alias Site Names:

City: LOS ANGELES

Refer to Report Dated: 7/1/2008 County or Parrish: LOS ANGELES State: CA

Report Developed By: Report Type: PRELIMINARY ASSESSMENT 001

X	Further Remedial Site Assessment Under CERCLA (Superfund) is not required because:
	NFRAP: No further Remedial Action planned
	2. Further Assessment Needed Under CERCLA:

#### Discussion/Rationale:

The U.S. Environmental Protection Agency (EPA) has determined that no further remedial action by the Federal Superfund program is warranted at the referenced site, at this time. The basis for the no further remedial action planned (NFRAP) determination is provided below.

The Gluall Wood Products site manufactured unfinished and finished furniture from 1980 until 2000. There were no operations taking place on the site as of 2004. Other operations conducted on site include wood laminating and wood carving. Common chemicals associated with wood paints and solvents include petroleum-based substances and acetone. The site is fenced, inaccessible to the public and the surface is entirely covered with pavement or buildings. Depth to groundwater is 100 feet bgs and flows in a general southwesterly direction, towards the Pacific Ocean. The nearest municipal drinking water well, 0.5 miles southwest from the site, is offline due to TCE and PCE contamination. PCE or TCE contamination has been detected in seven drinking water wells within a 4 mile radius. Although PCE may be a suspected onsite contaminant, PCE has not been directly observed or documented on site. No known soil or groundwater sampling has been conducted at the site. In 1990, the LA County Dept of Health Services issued a Notice Of Violation to the site after varnish saturated rags were being disposed of improperly in the trash. There are no daycare centers, regularly occupied residences, or sensitive environments on site.

A NFRAP designation means that no additional remedial steps under the Federal Superfund program will be taken at the site unless new information warranting further Superfund consideration or conditions not previously known to EPA regarding the site are disclosed. In accordance with EPA's decision regarding the tracking of NFRAP sites, the referenced site may be removed from the CERCLIS database and placed in a separate archival database as a historical record if no further Superfund interest is warranted. Archived sites may be returned to the CERCLIS site inventory if new information necessitating further Superfund consideration is discovered.

Site Decision Made by: K. JURIST
Signature: Date: 04/30/2009

# Preliminary Assessment Report Gluall Wood Products Los Angeles, California

EPA ID No.: CAN000905736
USACE Contract No.: W91238-05-F-0052
Document Control No.: 12767.063.486

**July 2008** 

Prepared for:
U.S. Environmental Protection Agency
Region 9

Prepared by:
Weston Solutions, Inc.
1340 Treat Boulevard, Suite 210
Walnut Creek, California 94597

# TABLE OF CONTENTS

Sec	Section		
1.0	INTR	RODUCTION	, 1
	1.1	Apparent Problem	1
2.0	SITE	DESCRIPTION	2
	2.1	Location	2
	2.2	Site Description	2
	2.3	Operational History	2
	2.4	Regulatory Involvement	3
		2.4.1 U.S. Environmental Protection Agency	3
		2.4.2 Los Angeles County Department of Health Serv	rices3
			•
<b>3.0</b>	HAZA	ARD RANKING SYSTEM FACTORS	3
	3.1	Sources of Contamination	3
	3.2	Groundwater Pathway	4
		3.2.1 Hydrogeological Setting	4
		3.2.2 Groundwater Targets	5
		3.2.3 Groundwater Pathway Conclusion	6
	3.3	Surface Water Pathway	6
	3.4		
4.0	EMEI	RGENCY RESPONSE CONSIDERATIONS	7
5.0	SUMI	MARY	8
6 N	DEFF	DENCE LIST	0

# **LIST OF FIGURES**

Figure 1: Site Location Map

### **APPENDICES**

Appendix A: Transmittal List

Appendix B: Site Reconnaissance Interview and Observation Report/Photographic

Documentation

Appendix C: Contact Log and Contact Reports

Appendix D: Latitude and Longitude Calculations Worksheet

Appendix E: References List

Appendix F: EPA Quick Reference Fact Sheet

#### LIST OF ACRONYMS

below ground surface bgs

**CERCLA** Comprehensive Environmental Response, Compensation, and Liability Act **CERCLIS** 

Comprehensive Environmental Response, Compensation, and Liability

Information System

**EPA** United States Environmental Protection Agency

**HRS** Hazard Ranking System

Los Angeles Department of Water and Power LADWP:

Maximum Contaminant Level MCL **MWD** Metropolitan Water District

**NOV** Notice of Violation **NPL National Priorities List** PA Preliminary Assessment **PCB** Polychlorinated Biphenyls

**PCE** Tetrachloroethylene

**RCRIS** Resource Conservation and Recovery Information System

SARA Superfund Amendments and Reauthorization Act

**SCWC** Southern California Water Company

TCE Trichloroethylene

Volatile Organic Compound VOC

#### 1.0 INTRODUCTION

Under the authority of the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) and the Superfund Amendments and Reauthorization Act of 1986 (SARA), Weston Solutions, Inc. (WESTON<sub>®</sub>) has been tasked to conduct a Preliminary Assessment (PA) of the Gluall Wood Products (Gluall) site, located in Los Angeles, Los Angeles County, California.

The purpose of the PA is to review existing information on the site and its environs, to assess the threat(s), if any, posed to public health, welfare, or the environment, and to determine if further investigation under CERCLA/SARA is warranted. The scope of the PA includes the review of information available from federal, state, and local agencies and performance of an on-site reconnaissance visit.

Using the sources of existing information, the site is then evaluated using the U.S. Environmental Protection Agency's (EPA's) Hazard Ranking System (HRS) criteria to assess the relative threat associated with actual or potential releases of hazardous substances at the site. The HRS has been adopted by the EPA to help set priorities for further evaluation and eventual remedial action at hazardous waste sites. The HRS is the primary method of determining a site's eligibility for placement on the National Priorities List (NPL). The NPL identifies sites at which the EPA may conduct remedial response actions. This report summarizes the findings of these preliminary investigative activities.

The Gluall site was identified as a potential hazardous waste site and entered into the Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS) on December 6, 2000 (EPA ID No.: CAN000905736) (1).

More information about the Superfund program is available on the EPA web site at http://www.epa.gov/superfund. The attached fact sheet describes EPA's site assessment process.

#### 1.1 Apparent Problem

The apparent problems at the site, which contributed to EPA's determination that a PA was necessary, are as follows:

- Historically, the site was occupied by a woodworking manufacturer whose operations included wood sawing, painting and gluing (2).
- In June 2000, an EPA Region IX Site Screening/Prioritization Checklist listed the following chemicals and being suspected contaminants on the Gluall site: asbestos, lead, nickel, polychlorinated biphenyls (PCBs), tetrachloroethylene (PCE), toluene, xylene, and zinc (3).

#### 2.0 SITE DESCRIPTION

#### 2.1 Location

The Gluall site is located at 5877 Compton Avenue, Los Angeles, Los Angeles County, California. The geographic coordinates for the site are 33° 59' 16" North latitude and 118° 14' 52" West longitude. The site location is presented in Figure 1.

#### 2.2 Site Description

The Gluall site occupies approximately 17,600 square feet in a predominantly residential and light commercial area of Los Angeles. The Gluall site is bordered to the north by 58<sup>th</sup> Drive, to the east by Compton Avenue, to the south by a vacant unpaved lot, and to the west by residences (4, Appendix B).

As of May 2004, the Gluall site consisted of one large building, approximately 9,440 square feet, and a smaller outdoor area located along the western portion of the property. The building's windows were boarded up and black smoky markings surrounded the window areas, suggesting that the structure may have caught fire (5, App. B).

#### 2.3 Operational History

From at least 1980 to approximately June 2000, the Gluall site was operating as a manufacturer of unfinished and finished furniture. Other operations conducted on site included wood laminating and wood carving. Hazardous substances used on site included, but were not limited to: waste oil, paints and solvents. The site was doing business as Maxco Woodworking and Manufacturing until approximately 1994, when the Gluall Wood Products business began. Records indicate that a furniture manufacturer also occupied the site from 1930 to 1956, although specific information regarding operations was not available (2, 3, 6).

In March 1990, the Los Angeles County Department of Health Services issued a Notice of Violation (NOV) to the Gluall site. Varnish-saturated rags were observed being disposed of improperly in the trash. The facility was ordered to properly dispose of all hazardous waste and submit a completed hazardous waste manifest (7).

Hazardous substances used on site include, but are not limited to: waste oil, paints and solvents. Information regarding the specific chemicals used onsite is not known. Common chemicals associated with wood paints and solvents include petroleum-based substances and acetone. Petroleum-based substances are excluded from CERCLA regulation by the petroleum exclusion. In June 2000, an EPA Region IX Site Screening/Prioritization Checklist listed the following chemicals as being suspected contaminants on the Gluall site: asbestos, lead, nickel, PCBs, PCE, toluene, xylene, and zinc. However, none of these hazardous substances were directly observed or documented on

site. Waste disposal practices were unknown at that time, however, empty drums were observed on the property (3, 8).

As of May 2004, no operations were taking place on the Gluall site. The property is currently owned by Sey Jung Company Trust (App. B, App. C-1).

No known soil or groundwater sampling has been conducted on the Gluall site.

#### 2.4 Regulatory Involvement

WESTON contacted the following agencies in the course of conducting the PA: The Los Angeles Regional Water Quality Control Board, the Cypress and Glendale offices of the Department of Toxic Substances Control, Los Angeles County Department of Health Services, Los Angeles County Department of Public Works, and the Los Angeles City Fire Department (App. C-2, C-3, C-4, C-5, C-6, C-7, C-8). The details of these agencies' involvement with the site are presented below.

#### 2.4.1 U.S. Environmental Protection Agency

The Gluall site is not listed in the Resource Conservation and Recovery Information System (RCRIS) database, as of January 26, 2006 (9).

#### 2.4.2 Los Angeles County Department of Health Services

In March 1990, the Los Angeles County Department of Health Services issued a NOV to the Gluall site. Varnish-saturated rags were observed being disposed of improperly in the trash. The facility was ordered to properly dispose of all hazardous waste and submit a completed hazardous waste manifest (7).

#### 3.0 HAZARD RANKING SYSTEM FACTORS

#### 3.1 Sources of Contamination

For HRS purposes, a source is defined as an area where a hazardous substance has been deposited, stored, disposed, or placed, plus those soils that have become contaminated from migration of a hazardous substance.

Potential hazardous substance sources associated with the Gluall site include, but may not be limited to:

 Acetone that may be present in on-site soils as a result of poor historic operating procedures (7, 8).

#### 3.2 Groundwater Pathway

In determining a score for the groundwater migration pathway, the HRS evaluates: 1) the likelihood that sources at a site actually have released, or potentially could release, hazardous substances to groundwater; 2) the characteristics of the hazardous substances that are available for a release (i.e., toxicity, mobility, and quantity); and 3) the people (targets) who actually have been, or potentially could be, impacted by the release. For the targets component of the evaluation, the HRS focuses on the number of people who regularly obtain their drinking water from wells that are located within 4 miles of the site. The HRS emphasizes drinking water usage over other uses of groundwater (e.g., food crop irrigation and livestock watering), because, as a screening tool, it is designed to give the greatest weight to the most direct and extensively studied exposure routes.

#### 3.2.1 Hydrogeological Setting

The Gluall site lies within the Central Subbasin in the Coastal Plain of the Los Angeles Groundwater Basin. The Central Subbasin is bound to the north by a surface divide called the La Brea high, to the northeast and east by the less permeable Tertiary rocks of the Elysian, Repetto, Merced, and Puente Hills, to the southeast by Coyote Creek, and to the southwest by the Newport Inglewood fault system and the Newport Inglewood uplift. The Los Angeles and San Gabriel Rivers drain inland basins and pass across the surface of the Central Basin on their way to the Pacific Ocean (10).

Throughout the Central Basin, groundwater occurs in Holocene alluvium and the Pleistocene Lakewood and San Pedro Formations. The aquifers underlying the site are, in descending order, the Gaspur, Semiperched, Bellflower, Gardena, Gage, Silverado, Lynwood, and Sunnyside. Recent alluvium beneath the site includes a thin zone of fine sand underlain by the Gaspur aquifer which extends to a depth of approximately 120 feet below ground surface (bgs). Underlying the Recent alluvium, sediments of the upper Pleistocene Lakewood Formation are present to a maximum depth of approximately 480 feet bgs. Unconformably underlying the Lakewood Formation, sediments of the lower Pleistocene San Pedro Formation extend to a depth of approximately 1,400 feet. Aquifers associated with the San Pedro Formation include the Silverado, Lynwood, and Sunnyside. Throughout much of the subbasin, the aquifers are confined; however semipermeable aquicludes allow aquifers to be interconnected. Although sufficient evidence is not available at this time, aquifer interconnection between the Gaspur through the Sunnyside is projected (10).

The depth to shallow groundwater beneath the site is estimated to be at least 100 feet bgs. The direction of groundwater flow has not been clearly defined; however it is estimated to be in a southwesterly direction, towards the Pacific Ocean. Geologic materials in the unsaturated zone between ground surface and the top of the aquifer is primarily sand, and the net precipitation in the area is approximately 13 inches annually (10).

#### 3.2.2 Groundwater Targets

The nearest drinking water wells are Converse Well #1 and Converse Well #2. These wells are within the Florence-Graham water system operated by the Southern California Water Company (SCWC) and are located approximately 0.6 mile southeast of the Gluall site. An additional well, Goodyear #4, operated by SCWC is located approximately 0.5 mile southwest of the site and is offline due to trichloroethylene (TCE) and PCE contamination. An EPA Region IX Site Screening/Prioritization Checklist conducted in June 2000 listed PCE as being a suspected onsite contaminant; however, PCE has not been directly observed or documented on site (3, 11, App. C-9, C-10).

The SCWC Florence-Graham system operates a blended drinking water system that consists of six wells that serve approximately 31,126 people. The Florence-Graham system obtains approximately 60 percent of its drinking water from groundwater. The remaining 40 percent is treated surface water purchased from the Metropolitan Water District (MWD). No one well contributes greater than 40 percent to the system. All six wells operated by SCWC are within 4 miles of the site. As of 2003, an additional well operated by SCWC, Goodyear #4, was offline due to concentrations of PCE and TCE exceeding Maximum Contaminant Levels (MCLs) in the water supply (App. C-9, C-10).

The City of Vernon operates a blended drinking water system that consists of eight wells that serve approximately 45,000 people. The City of Vernon obtains 82 percent of its drinking water from groundwater. The remaining 18 percent is treated surface water purchased from MWD. No one well contributes greater than 40 percent to the system. All 8 wells operated by the City of Vernon are within 4 miles of the site. As of 2003, an additional well operated by the City of Vernon, Well #18, was offline due to elevated concentrations of perchlorate, 1,2-dichloroethane, and TCE (App. C-11).

The City of Huntington Park operates a drinking water system that consists of six wells that serve approximately 20,000 people. The City of Huntington Park obtains approximately 60 percent of its drinking water from groundwater. The remaining 40 percent is treated surface water purchased from the MWD. No one well contributes greater than 40 percent to the system. Four of the six wells operated by the City of Huntington Park are within 4 miles of the site. As of 2003, Well #15 and Well #17 had concentrations of VOCs exceeding MCLs. These wells are active and are being treated with air stripping and activated carbon. VOC levels are non-detect prior to distribution (App. C-12).

The Walnut Park Mutual Water Company operates a blended drinking water system that consists of two wells that serve approximately 18,000 people. Walnut Park Mutual Water Company obtains 60 percent of its drinking water from groundwater. The remaining 40 percent is treated surface water purchased from MWD. No one well contributes greater than 40 percent to the system. Both wells operated by Walnut Park Mutual Water Company are within 4 miles of the site (App. C-13).

The Los Angeles Department of Water and Power (LADWP) Central Basin system operates a blended drinking water system that consists of 78 wells that serve approximately 3,850,000 people. The LADWP obtains 15 percent of its drinking water from groundwater. The remaining 85 percent is

treated surface water purchased from the MWD. No one well contributes greater than 40 percent to the system. Nine of the 78 wells operated by LADWP Central Basin water system are within 4 miles of the site (App. C-14).

The City of South Gate operates a drinking water system that consists of ten wells that serve approximately 96,375 people. The City of South Gate obtains all of its drinking water from groundwater. No one well contributes greater than 40 percent to the system. Three of the eight wells operated by the City of South Gate are within 4 miles of the site. As of 2003, TCE, PCE, and hexavalent chromium had been detected in four wells (Well #13, Well #14, Well #18, and Well #19). These wells were being treated at the wellhead prior to distribution (App. C-15).

The Maywood Mutual Water Company #1 operates a blended drinking water system that consists of two wells that serve approximately 5,500 people. Maywood Mutual Water Company #1 obtains 80 percent of its drinking water from groundwater. The remaining 20 percent is treated surface water purchased from MWD. No one well contributes greater than 40 percent to the system. Both wells operated by Maywood Mutual Water Company #1 are within 4 miles of the site (App. C-16).

The Maywood Mutual Water Company #2 operates a non-blended drinking water system that consists of two wells that serve approximately 6,700 people. Maywood Mutual Water Company #2 obtains 60 percent of its drinking water from groundwater. The remaining 40 percent is treated surface water purchased from MWD. No one well contributes greater than 40 percent to the system. Both wells operated by Maywood Mutual Water Company #2 are within 4 miles of the site (App. C-17).

Although the EPA Region 9 GIS Report for Gluall indicates additional water purveyors operating wells within 4 miles of the site, it was not necessary to evaluate further systems for this assessment based on the HRS model (11).

#### 3.2.3 Groundwater Pathway Conclusion

Based on the historic operating procedures conducted on the Gluall site, there is a potential that contaminants may have been released to groundwater beneath the site. Shallow groundwater beneath the site is encountered at approximately 100 feet bgs. Geologic materials in the unsaturated zone between ground surface and the top of the aquifer are primarily sand. There are at least 36 municipal drinking water wells within 4 miles of the site that serve a population of approximately 4,072,701 (10, App. C-9, C-11, C-12, C-13, C-14, C-15, C-16, C-17).

#### 3.3 Surface Water Pathway

In determining the score for the surface water pathway, the HRS evaluates: 1) the likelihood that sources at a site actually have released, or potentially could release, hazardous substances to surface water (e.g., streams, rivers, lakes, and oceans); 2) the characteristics of the hazardous substances that

are available for a release (i.e., toxicity, persistence, bioaccumulation potential, and quantity); and 3) the people or sensitive environments (targets) who actually have been, or potentially could be, impacted by the release. For the targets component of the evaluation, the HRS focuses on drinking water intakes, fisheries, and sensitive environments associated with surface water bodies within 15 miles downstream of the site.

Surface runoff from the site enters the storm drain system which enters the concrete-lined Los Angeles River located approximately 2.5 miles northeast of the site. The Los Angeles River discharges into the Long Beach Harbor and then to the Pacific Ocean. No drinking water intakes, fisheries, or sensitive environments are associated with the Los Angles River, Long Beach Harbor, or Pacific Ocean within the target distance limit (App. B, 11).

#### 3.4 Soil Exposure and Air Pathways

In determining the score for the soil exposure pathway, the HRS evaluates: 1) the likelihood that there is surficial contamination associated with the site (e.g., contaminated soil that is not covered by pavement or at least 2 feet of clean soil); 2) the characteristics of the hazardous substances in the surficial contamination (i.e., toxicity and quantity); and 3) the people or sensitive environments (targets) who actually have been or potentially could be, exposed to the contamination. For the targets component of the evaluation, the HRS focuses on populations that are regularly and currently present on or within 200 feet of surficial contamination. The four populations that receive the most weight are residents, students, daycare attendees, and terrestrial sensitive environments.

In determining the score for the air migration pathway, the HRS evaluates: 1) the likelihood that sources at a site actually have released, or potentially could release, hazardous substances to ambient outdoor air; 2) the characteristics of the hazardous substances that are available for a release (i.e., toxicity, mobility, and quantity); and 3) the people or sensitive environments (targets) who actually have been, or potentially could be, impacted by the release. For the targets component of the evaluation, the HRS focuses on regularly occupied residences, schools, and workplaces within 4 miles of the site. Transient populations, such as customers and travelers passing through the area, are not counted.

There are currently no daycare centers, regularly occupied residences, or sensitive environments on site. In addition, the site is fenced, inaccessible to the public, and the surface is entirely covered with pavement or buildings (App. B).

#### 4.0 EMERGENCY RESPONSE CONSIDERATIONS

The National Contingency Plan [40CFR 300.415 (b) (2)] authorizes the EPA to consider emergency response actions at those sites that pose an imminent threat to human health or the environment. For the following reasons, a referral to Region 9's Emergency Response Office does not appear to be necessary:

• There are no operations taking place on site. The site is entirely fenced, and its surface is entirely covered with pavement or buildings (App. B).

#### 5.0 SUMMARY

The Gluall Wood Products (Gluall) site is located at 5877 Compton Avenue, Los Angeles, California. The site occupies approximately 17,600 square feet in a predominantly residential and light commercial area of Los Angeles County.

From at least 1980 to approximately June 2000, the Gluall site was operating as a manufacturer of unfinished and finished furniture. Other operations conducted on site included wood laminating and wood carving. Hazardous substances used on site included, but were not limited to: waste oil, paints and solvents. The site was doing business as Maxco Woodworking and Manufacturing until approximately 1994, when the Gluall Wood Products business began.

Hazardous substances used on site include, but are not limited to: waste oil, paints and solvents. Information regarding the specific chemicals used onsite is not known. Common chemicals associated with wood paints and solvents include petroleum-based substances and acetone. Petroleum-based substances are excluded from CERCLA regulation by the petroleum exclusion. In June 2000, an EPA Region IX Site Screening/Prioritization Checklist listed the following chemicals and being suspected contaminants on the Gluall site: asbestos, lead, nickel, polychlorinated biphenyls, tetrachloroethylene, toluene, xylene, and zinc. However, none of these hazardous substances were directly observed or documented on site.

As of May 2004, no operations were taking place on the Gluall site.


The following pertinent Hazard Ranking System factors are associated with the site:

- Groundwater is first encountered beneath the site at a depth of approximately 100 feet below ground surface, and geologic materials in the unsaturated zone are primarily sand.
- The nearest drinking water well is located approximately 0.6 mile southeast of the Gluall site.
- The nearest surface water body is the concrete-lined Los Angeles, located approximately 2.5 miles northeast of the site.
- There are currently no regularly occupied residences, schools, daycare facilities, or terrestrial sensitive environments on site. In addition, the site is completely fenced, inaccessible to the public, and its surface is covered with pavement or buildings.

#### 6.0 REFERENCE LIST

- U.S. Environmental Protection Agency, Envirofacts Warehouse CERCLIS query results, http://www.epa.gov/enviro/html/cerclis/cerclis\_query.html, data extracted January 24, 2006.
- 2. Los Angeles County, Hazardous Materials Control Program, Industry Survey, Maxco Woodworking and Manufacturing, March 5, 1990.
- 3: Al Shami, Majed, EPA Region IX Site Screening/Prioritization Checklist, June 23, 2000.
- 4. Los Angeles County Assessor, Assessor's Map, Parcel Numbers 6008-021-001 and 6008-021-002, http://assessormap.co.la.ca.us/mapping/gifimage.asp?val=6008021.00, data extracted January 24, 2006.
- 5. Los Angeles County Assessor, Property Assessment Information System, http://assessormap.co.la.ca.us/mapping/viewer.asp, data extracted January 24, 2006.
- 6. County of Los Angeles Department of Health Services, Public Health Programs Environmental Management, Official Inspection Report, undated.
- 7. County of Los Angeles, Department of Health Services, Hazardous Materials Control Program, Notice of Violation and Order to Comply, Maxco Woodworking and Manufacturing, March 5, 1990.
- 8. Seton Resource Center, Material Data Safety Sheet, Paint Thinner, www.setonresourcecenter.com, data extracted July 2, 2008.
- 9. U.S. Environmental Protection Agency, Envirofacts Warehouse RCRAInfo query results, http://www.epa.gov/enviro/html/rcris/rcris query java.html, data extracted January 26, 2006.
- 10. California Department of Water Resources, California's Groundwater Bulletin No. 118, Coastal Plain of Los Angeles Groundwater Basin, Central Subbasin, February 27, 2004.
- 11. United States Environmental Protection Agency, GIS Report, Gluall Wood Products, February 13, 2004.

Note: This document is confidential and is included in the confidential information packet.



# APPENDIX B: Site Observation/Photographic Documentation

# SITE RECONNAISSANCE INTERVIEW AND OBSERVATIONS REPORT/PHOTOGRAPHIC DOCUMENTATION

**DATE:** May 11, 2004

**SITE NAME:** Gluall Wood Products

OBSERVATIONS MADE BY: Amanda K. Cohan, Weston Solutions, Inc.

**EPA ID:** CAN000905736

During the site reconnaissance on May 11, 2004 the following information was obtained:

The weather was approximately 70° with clear skies and a slight breeze.

The address for the site was confirmed. The site occupies two lots on Compton Avenue. The site consists of one large structure and a smaller outdoor area located in the western portion of the property. The entire area was under construction and no operations were taking place. The building's windows were boarded up and the black smoky markings surrounding the window areas suggest that the structure may have caught fire.

The site was fenced, inaccessible, and appeared to be entirely paved. There were no residents, schools, daycares, or sensitive terrestrial environments observed on site. The area is primarily residential with some commercial and little industrial properties. The site was surrounded in all directions by residences. Although directly south of the site a small empty unpaved lot is located between Gluall and a multiple-family residential housing area.

# PHOTOGRAPHIC DOCUMENTATION GLUALL WOOD PRODUCTS Site Conditions as of May 11, 2004



Photo 1: Front of building from Compton Avenue.



Photo 2: View of northeast corner of site. Photograph taken from Compton Avenue.

# **APPENDIX C:**Contact Log and Contact Reports

# **CONTACT LOG**

SITE: Gluall Wood Products EPA ID: CAN000905736

NAME	AFFILIATION	PHONE	DATE	INFORMATION
Josephine	Los Angeles County Assessor	(323) 665-5300	1/24/2006	See Contact Report
Student Assistant	Los Angeles Regional Water Quality Control Board (RWQCB) - WIP File Room	(213) 576-6600	11/4/2003	See Contact Report
Student Assistant	RWQCB - SLIC File Room	(213) 576-6600	10/31/2003	See Contact Report
Julie Johnson	Department of Toxic Substances Control (DTSC) - Cypress office	(714) 484-5336	9/30/2003	See Contact Report
Jone Barrio	DTSC - Glendale office	(818) 551-2886	10/6/2003	See Contact Report
Robert Smith	Los Angeles County Department of Health Services	(323) 890-7806	12/9/2003	See Contact Report
George	Los Angeles County Department of Public Works	(626) 458-3517	5/10/2004	See Contact Report
Chi Fong	Los Angeles City Fire Department	(213) 978-3680	11/6/2003	See Contact Report
Hank Aceves	Southern California Water Company	(562) 907-9200 ext. 401	12/2/2003 & 3/3/2004	See Contact Report
Scott Rigg	City of Vernon Water Department	(323) 583-8811 ext. 279	11/25/2003	See Contact Report
Jim Williams	City of Huntington Park	(323) 587-5969	11/24/2003	See Contact Report

# Contact Log (continued)

NAME	AFFILIATION	PHONE	DATE	INFORMATION
Martin Gonzales	Walnut Park Mutual Water Company	(323) 585-7321	1/26/2006	See Contact Report
Patricia Kiechler	Los Angeles Department of Water and Power	(213) 367-0921	12/2/2003	See Contact Report
Ron Hernandez	City of South Gate	(323) 357-9657	12/2/2003	See Contact Report
Sergio Palos	Maywood Mutual Water Company #1	(323) 560-2439	1/26/2006	See Contact Report
Warren Rickabaugh	Maywood Mutual Water Company #2	(323) 581-5816	1/26/2006	See Contact Report

AGENCY/AFFILIATION: County of Los Angeles				
DEPARTMENT: Assessor	's Office, West District Offi	ce		
ADDRESS/CITY: 6120 B	ristol Parkway, Culver City			
COUNTY/STATE/ZIP: Lo	os Angeles, California, 90230	)		
CONTACT(S) TITLE PHONE				
Josephine	Clerk	(310) 665-5300		
PERSON MAKING CONTACT: Amanda K. Cohan DATE: 1/24/2006				
SUBJECT: Property information				
SITE NAME: Gluall Wood Products EPA ID#: CAD000905736				

The property is currently owned by Sey Jung Company Trust. The mailing address for the property owner is 2945 Garona Drive, Hacienda Heights, California 91745. Sey Jung Company Trust has owned the property since April 11, 2005. The previous owners were not on record at the Assessor's office.

AGENCY/AFFILIATION: Los Angeles Regional Water Quality Control Board				
DEPARTMENT: W	ell Investigation Unit			
ADDRESS/CITY: 3	20 W. Fourth Street, Suite 200,	Los Angeles		
COUNTY/STATE/Z	COUNTY/STATE/ZIP: Los Angeles, CA 90013			
CONTACT(S) TITLE PHONE				
	Student Assistant	(213) 576-6600		
PERSON MAKING CONTACT: Michelle Zehr DATE: 11/4/03				
SUBJECT: Files/records				
SITE NAME: Gluall	SITE NAME: Gluall Wood Products EPA ID NO: CAN000905736			

There are no files on record for this site.

AGENCY/AFFILIATION: Los Angeles Regional Water Quality Control Board				
DEPARTMENT: S	ite Cleanup (SLIC)			
ADDRESS/CITY:	320 W. Fourth Street, Suite 200,	Los Angeles		
COUNTY/STATE/Z	COUNTY/STATE/ZIP: Los Angeles, CA 90013			
CONTACT(S)	CONTACT(S) TITLE PHONE			
	Student Assistant	(213) 576-6600		
PERSON MAKING CONTACT: Michelle Zehr DATE: 10/31/03				
SUBJECT: Files/records				
SITE NAME: Glual	SITE NAME: Gluall Wood Products EPA ID NO: CAN000905736			

There are no files on record for this site.

AGENCY/AFFILIATION: California Department of Toxic Substances Control				
DEPARTMENT: Fi	les and records			
ADDRESS/CITY: 5	796 Corporate Avenue, Cypress			
COUNTY/STATE/Z	IP: Orange, CA 90630			
CONTACT(S)	CONTACT(S) TITLE PHONE			
Julie Johnson	Public Records Coordinator	(714) 484-5337		
PERSON MAKING CONTACT: Michelle Zehr DATE: 9/30/03				
SUBJECT: Files/records				
SITE NAME: Glual1	SITE NAME: Gluall Wood Products EPA ID NO: CAN000905736			

DTSC has no files for this site.

AGENCY/AFFILIATION: California Department of Toxic Substances Control				
DEPARTMENT: Fi	les/records			
ADDRESS/CITY: 1	011 N. Grandview Avenue, Glend	ale		
COUNTY/STATE/Z	IP: Los Angeles, CA 91201			
CONTACT(S)	CONTACT(S) TITLE PHONE			
Jone Barrio	Regional Records Coordinator	(818) 551-2886		
PERSON MAKING CONTACT: Michelle Zehr DATE: 10/6/03				
SUBJECT: Files/records				
SITE NAME: Gluall Wood Products EPA ID NO: CAN000905736				

DTSC has no files for this site.

AGENCY/AFFILIATION: Los Angeles County Department of Health Services				
DEPARTMENT: Pu	ıblic Health/Environmental Heal	th .		
ADDRESS/CITY: 5	555 Ferguson Drive, Suite 120-	04, Commerce		
COUNTY/STATE/Z	IP: Los Angeles, 90022			
CONTACT(S)	CONTACT(S) TITLE PHONE			
Robert Smith	Deputy Health Officer	(323) 890-7806		
PERSON MAKING CONTACT: Michelle Zehr DATE: 12/9/03				
SUBJECT: Files/records				
SITE NAME: Gluall	SITE NAME: Gluall Wood Products EPA ID NO: CAN000905736			

The L.A. County Department of Health Services has files for this site.

AGENCY/AFFILIATION: Los Angeles County Department of Public Works

DEPARTMENT: Industrial Waste Unit

ADDRESS/CITY: 900 South Fremont Avenue, Alhambra

COUNTY/STATE/ZIP: Los Angeles, CA, 91803

CONTACT(S)

TITLE

PHONE

George

Student Assistant

(626) 458-3517

WESTON EMPLOYEE: Amanda K. Cohan

DATE: 5/10/04

SUBJECT: Files/records

SITE NAME: Gluall Wood Products

EPA ID NO.: CAN000905736

There are no files on record for this site.

AGENCY/AFFILIATION: Los Angeles City Fire Department

DEPARTMENT: Environmental Unit and Hazardous Materials Records

ADDRESS/CITY: 200 N. Main Street, Los Angeles

COUNTY/STATE/ZIP: Los Angeles, CA, 90012

CONTACT(S)

TITLE

PHONE

Chi Fong

Data Management

(213) 978-3680

WESTON EMPLOYEE: Michelle Zehr

DATE: 11/6/03

SUBJECT: Files/records

SITE NAME: Gluall Wood Products

EPA ID NO.: CAN000905736

There are no files on record for this site.

AGENCY/AFFILIATION: Southern California Water Company				
DEPARTMENT: Ce	ntral District			
ADDRESS/CITY: 12	2035 Burke Street, Suite 1, Santa	Fe Springs		
COUNTY/STATE/Z	IP: Los Angeles County, CA 917	73		
CONTACT(S)	CONTACT(S) TITLE PHONE			
Hank Aceves	Water Supply Superintendent	(562) 907-9200 ext. 401		
PERSON MAKING CONTACT: Michelle Zehr DATE: 12/02/2003				
SUBJECT: Drinking water well information				
SITE NAME: Gluall Wood Products EPA ID NO.: CAN000905736				

#### Florence-Graham System

The blended Florence-Graham System operates 9,432 service connections (multiply by 3.3 persons per service connection equals a population of 31,126 served) and consists of six active wells and one inactive well (Well "Goodyear #4" is no longer active and well "Converse #1" has been reactivated). No well contributes more than 40% to the system. Southern California Water Company (SCWC) buys less than 40% of the water within the system from the Metropolitan Water District (MWD).

Due to confidentiality of the information provided by the SCWC, the well location information is included in the Confidential Information Packet of the report.

AGENCY/AFFILIATION: Southern California Water Company				
DEPARTMENT: Co	entral District			
ADDRESS/CITY: 1	2035 Burke Street, Suite 1, Santa	Fe Springs		
COUNTY/STATE/Z	IP: Los Angeles County, CA 917	73		
CONTACT(S)	CONTACT(S) TITLE PHONE			
Hank Aceves	Water Supply Superintendent	(562) 907-9200 ext. 401		
PERSON MAKING CONTACT: Michelle Zehr DATE: 03/03/2004				
SUBJECT: TCE Contamination				
SITE NAME: Gluall Wood Products EPA ID NO.: CAN000905736				

#### Florence-Graham System

Mr. Aceves confirmed that the "Goodyear #4" well is offline due to detection of Volatile Organic Compounds (VOCs), specifically trichloroethylene (TCE) and tetrachloroethylene (PCE), in the water supply. "Converse #1", which had been recorded as offline due to elevated TCE levels in the 2002 contact report, had been reactivated when WESTON spoke to Mr. Aceves on December 2, 2003. This well was reactivated when VOC concentrations dropped below Maximum Contaminant Levels (MCLs), however, as of December 4, 2003, VOC levels again exceeded MCLs and the well was taken offline. This well is currently in design for treatment. VOCs have not affected "Converse #2" and the well remains active.

AGENCY/AFFILIATION: City of Vernon						
DEPARTMENT: W	ater Department					
ADDRESS/CITY: 4	305 Santa Fe Ave., Vernon					
COUNTY/STATE/Z	IP: Los Angeles County, Californ	ia 90630				
CONTACT(S)	CONTACT(S) TITLE PHONE					
Scott Rigg Water Operations Supervisor (323) 583-8811 ext. 279						
PERSON MAKING CONTACT: Michelle Zehr DATE: 11/25/2003						
SUBJECT: Drinking water well information						
SITE NAME: Gluall Wood Products EPA ID NO.: CAN000905736						

Mr. Rigg stated that the system now serves approximately 45,000 people. Eight (8) of their nine (9) wells are currently operational. Well #18 was recently shut down due to contamination (perchlorate, 1-2 DCA and TCE). Approximately 18% of the water distributed by the City of Vernon comes from surface water sources (intakes) from the Metropolitan Water District. None of the wells supply more than 40% of the total supply. The City of Vernon does not blend their water prior to distribution, nor do they buy or sell water to other distributors. Contamination has been detected in well #18 (see above). They have been monitoring the elevated perchlorate levels for a couple of years; the other two contaminants are more recent and Mr. Rigg indicated that they would be hiring a private consulting firm in the near future to determine the source of the contamination.

Due to confidentiality of the information provided by the City of Vernon, the well location information is included in the Confidential Information Packet of the report.

AGENCY/AFFILIATION: ECO Resources, Inc./ Huntington Park Water Department						
DEPARTMENT: Wa	DEPARTMENT: Water Department					
ADDRESS/CITY: 69	900 Bissell Street					
COUNTY/STATE/Z	COUNTY/STATE/ZIP: Los Angeles County, California 90255					
CONTACT(S)	CONTACT(S) TITLE PHONE					
Jim Williams Manager (323) 587-5969						
PERSON MAKING CONTACT: Denise Leong DATE: 11/24/2003						
SUBJECT: Drinking Water System						
SITE NAME: Gluall Wood Products EPA ID NO.: CAN000905736						

The Huntington Park water drinking water distribution system serves approximately 20,000 customers. The system consists of six wells and one Metropolitan Water District intake. All seven supplies currently feed the system. None of the supply sources provide more than 40% of the total demand at any given time.

Well #15 is treated by an air stripping system to reduce trichloroethylene (TCE) levels. Well #17 is treated with activated carbon to reduce carbon tetrachloride (CTC) levels. VOC levels do exceed the MCL but are reduced to "non-detect" via treatment.

Due to confidentiality of the information provided by the City of Huntington Park, the well location information is included in the Confidential Information Packet of the report.

AGENCY/AFFILIATION: Walnut Park Mutual Water Company						
DEPARTMENT: W	ater Department					
ADDRESS/CITY: 2	460 East Florence Ave., Huntingto	n Park				
COUNTY/STATE/Z	ZIP: Los Angeles County, Californi	a 90255				
CONTACT(S)	CONTACT(S) TITLE PHONE					
Martin Gonzales Water Superintendent (323) 585-7321						
PERSON MAKING CONTACT: Amanda K. Cohan DATE: 1/26/2006						
SUBJECT: Drinking water well information						
SITE NAME: Gluall Wood Products EPA ID NO.: CAN000905736						

Mr. Gonzales stated that the system serves approximately 18,000 people. Only two wells are currently active (Well 10 and Well 11). Approximately 40 percent of the water distributed by the Walnut Park Mutual Water Company comes from surface water sources (intakes) from the Metropolitan Water District. The remaining 60 percent is from groundwater. Neither well supplies more than 40% of the total supply. Walnut Park Mutual Water Company does not blend their water prior to distribution, nor do they buy or sell water to other distributors. Contamination has not been detected in either well.

Due to confidentiality of the information provided by the Walnut Park Mutual Water Company, the well location information is included in the Confidential Information Packet of the report.

AGENCY/AFFILIATION: Upper Los Angeles River Area Watermaster						
DEPARTMENT:	DEPARTMENT:					
ADDRESS/CITY: P.O. Box :	51111, Room 1450, Los Ang	geles				
COUNTY/STATE/ZIP: Los A	Angeles, California, 90061					
CONTACT(S)	CONTACT(S) TITLE PHONE					
Patricia Kiechler	(213) 367-0921					
PERSON MAKING CONTACT: Denise Leong DATE: 12/2/2003						
SUBJECT: Drinking Water System						
SITE NAME: Gluall Wood Products EPA ID#: CAN000905736						

The Los Angeles Department of Water and Power (LADWP) Central Basin system operates a blended drinking water system that consists of 78 wells that serves approximately 3,850,000 people. The LADWP obtains 15 percent of its drinking water from groundwater. The remaining 85 percent is treated surface water purchased from the Metropolitan Water District. No one well contributes greater than 40 percent to the system.

Due to confidentiality of the information provided by the LADWP, the well location information is included in the Confidential Information Packet of the report.

AGENCY/AFFILIATION: City of South Gate						
DEPARTMENT: Pu	blic Works Department					
ADDRESS/CITY: 42	244 Santa Ana Street, South Gat	e				
COUNTY/STATE/Z	IP: Los Angeles County, Californ	rnia 90280				
CONTACT(S)	CONTACT(S) TITLE PHONE					
Ron Hernandez	Water Engineer	(323) 357-9657/ (323) 563-5796				
PERSON MAKING CONTACT: Denise Leong DATE: 12/2/2003						
SUBJECT: Drinking Water System						
SITE NAME: Gluall Wood Products EPA ID NO.: CAN000905736						

The City of South Gate water distribution system serves approximately 96,375 customers. The blended system consists of 10 active drinking water wells (Wells 2, 13, 14, 18, 19, 23, 24, 25, 26, and 27) and two standby drinking water wells (Wells 7 and 22B). These groundwater wells provide 100% of the drinking water. No single well provides more than 40% of the total demand at any given time.

In 2002 water quality sampling, PCE, TCE and hexavalent chromium has been detected. PCE has been detected in Wells 13, 14, 18, and 19. The PCE at these four wells are currently being treated at the wellhead. In standby Well 7, TCE has been found up to 8.8  $\mu$ g/L and hexavalent chromium up to 86  $\mu$ g/l. In standby Well 22B, PCE has been found up to 8.8  $\mu$ g/L. They have been taken offline.

Due to confidentiality of the information provided by the City of South Gate, the well location information is included in the Confidential Information Packet of the report.

AGENCY/AFFILIATION: Maywood Mutual Water Company #1					
DEPARTMENT: Water Department					
ADDRESS/CITY: 595	ADDRESS/CITY: 5953 Gifford Avenue, Huntington Park				
COUNTY/STATE/ZIF	COUNTY/STATE/ZIP: Los Angeles, California, 90255				
CONTACT(S) TITLE PHONE					
Sergio Palos	General Manager	(323) 560-2439			
PERSON MAKING CONTACT: Amanda K. Cohan DATE: 1/26/2006					
SUBJECT: Drinking Water System					
SITE NAME: Gluall Wood Products EPA ID#: CAN000905736					

Maywood Mutual Water Company #1 operates two active drinking water wells (Well 03 and Well 04) that serve a population of approximately 5,500. Approximately 20 percent of the water distributed is surface water purchased from the Metropolitan Water District. The remaining 80 percent is groundwater. The Silverado aquifer supplies the water for the drinking water wells.

Due to confidentiality of the information provided by the Maywood Mutual Water Company #1, the well location information is included in the Confidential Information Packet of the report.

AGENCY/AFFILIATION: Maywood Mutual Water Company #2					
DEPARTMENT: Water Department					
ADDRESS/CITY: 3521 S	lauson Avenue, Maywood	ı			
COUNTY/STATE/ZIP: M	laywood, California, 90270				
CONTACT(S) TITLE PHONE					
Warren Rickabaugh Superintendent (323) 581-5816					
PERSON MAKING CONTACT: Amanda K. Cohan DATE: 1/26/2006					
SUBJECT: Drinking Water System					
SITE NAME: Gluall Wood Products EPA ID#: CAN000905736					

The Maywood Mutual Water Company #2 drinking water supply system currently serves approximately 6,700 people. The non-blended system consists of two active wells that contribute 60 percent to the total water supply. The remaining 40 percent is purchased from the Metropolitan Water District.

Due to confidentiality of the information provided by the Maywood Mutual Water Company #2, the well location information is included in the Confidential Information Packet of the report.

# APPENDIX D: Latitude and Longitude Calculations Worksheet

# Latitude d Longitude Calculation Worksh (7.5' quads) Using an Engineer's Scale (1/5.,

Site Name	Gluali Wood Products CERCLIS # [C] A  N  0   0   9   0   5   7   3   6
AKA	
Address	5877 Compton Avenue
City	Los Angeles State C A ZIP 90001
Site Reference Point	street address
USGS Quad Name	Scale 1:24,000
Township	Range Section \  \  \  \  \  \  \  \  \  \  \  \  \
Map Datum	1927 1983 (Check one) Meridian
Map coordinate	es at southeast corner of 7.5' quadrangle (attach photocopy)
Latitude	Congitude Congitude W
·	es at southeast corner of 2.5' grid cell
Latitude	Congitude Congitude W
	Calculations
LATITUDE(x)	
	A) Number of ruler graduations between 2.5' (150") grid lines (a)
ı	B) Number of ruler graduations between south grid line and the site reference point (b)
	C) Therefore, a/150 = b/x, where x= Latitude in decimal seconds, north of the south grid line
	Expressed as minutes and seconds (1' = 60") =
A	odd to grid cell latitude =  "N + "N + ""N + """N + ""N + """N + """"N + """"N + """"N + """"N + """"N + """""N + """""N + """"""""
<b>S</b>	ite latitude = 3 3 ° 5 9 ' 1 6 "N
LONGITUDE(y)	
	A) Number of ruler graduations between 2.5' (150") grid lines (a)
	B) Number of ruler graduations between south grid line and the site reference point (b)
	C) Therefore, a/150 = b/x, where x= Longitude in decimal seconds, west of the east grid line
	Expressed as minutes and seconds (1" = 60") =
Ad	dd to grid cell longitude =  " "N +  " "N +  " "N "N"
	Site longitude = 1 1 8 ° 1 4 ' 5 2 "W

# **APPENDIX E:** References

Reference No. 1



# U.S. Environmental Protection Agency Superfund (CERCLIS)

Recent Additions | Contact Us | Print Version EPA Home > Envirofacts > CERCLIS > Query Results





# **Query Results**



Site ID: Equal To: CAN000905736

Results are based on data extracted on JAN-13-2006

Note: Click on the underlined CORPORATE LINK value for links to that company's environmental web pages.

Click on the underlined MAPPING INFO value to obtain mapping information for the facility.

Click on the underlined RECORD OF DECISION value for a RODS Site Report.

Click on the underlined "View Facility Information" link to view EPA Facility information for the facility.

Go To Bottom Of The Page

CERCLIS EPA ID: CAN000905736

SITE NAME:

**GLUALL WOOD PRODUCTS** 

STREET **ADDRESS:**  5877 COMPTON **AVENUE** 

**FACILITY INFORMATION** 

View facility information

CITY NAME:

LOS ANGELES CA

**FEDERAL FACILITY:** 

Ν

STATE ABBR: ZIP CODE:

90001

**NPL STATUS:** 

Not on the NPL

**COUNTY NAME:** 

LOS ANGELES

**RECORD OF DECISION (ROD)** 

No

**CORPORATE** 

LINK:

No

INFO:

LATITUDE:

LINK:

No

LONGITUDE: SITE SMSA:

**MAPPING INFO:** 

**EPA REGIONAL** 

MAP

# **Enforcement and Cleanup Actions**

Action	Action ID	Actual Start Date	Actual End Date	Responsibility	Planned Outcome	Urgency
DISCOVERY	001		12/06/2000	EPA Fund- Financed		
DISCOVERY	002		12/06/2000	EPA Fund- Financed		

# Site Description

<b>Description</b>	Text
RL	

Go To Top Of The Page

**Total Number of Facilities Displayed: 1** 

EPA Home | Privacy and Security Notice | Contact Us

Last updated on Tuesday, January 24th, 2006 http://oaspub.epa.gov/enviro/cerclis\_web.report Reference No. 2

. *	PUBLIC HEHLIH INVEST.	10 19259402601 F.10
	Oate 3590 Time Los Angele Change Hazardous Material Industry	S Common Program Rounne Complaint F
	PHL# S 7 7 60 5 Coom (10 0 SIC# 1	EPA#
[_	Start Date ( (%) = of employees ) % # of s	hifts Operating Hours 8-59
1_	owner Max Storment	Interviewed Autorio Salado
L	Partner	Title Hay
	Product Service Mfry of unfinished f	finished Furnitures.
L	DBA Haxle woodworking of May.	Violation Rank 🗍 I 📑 II 🖾 III
	Address: 5877 So Compton Are	Waste Cat  1 2 3 4
	# City   Zip Code 9 0 0 0	Armt (PGT)
	Meeting S-A-A-	HRF Materials
t		Quantity Storage
	# UST Size / For	#AST Size / For
Ĺ	PROCESS	FLOWCHART
(ان	process & hazardous waste storage materials & rate generated (drum/AS	
<del>-</del> â)	Span Booths  - Paint	
3)	Collaboration of Cascoset FM-1323	
	ACOUNT FREE	Revisit Date Abatement Date
٠,	R of errals Viblations / Remarks	
	AOMO IN See	No.V.
	B&S _ OSHA	Ked

Signature(s) , Leven

Reference No. 3

5329

# EPA REGION IX SITE SCREENING/PRIORITIZATION CHECKLIST

This review checklist is to be used by individual site screening staff when reviewing sites which have been brought to the attention of EPA or the State. Each site is reviewed on the merits of the discovery documentation and additional information gathered during the screening process. The guiding principal in evaluating a given site is to use common sense in assessing the information and subsequently presenting the site and its known hazardous potential to the SST. All sections of this form are to be completed for both screens and prioritizations.

#### 1.0 GENERAL INSTRUCTIONS

Complete Section 1 for the site using readily available information and contacting appropriate individuals. A contact log (Attachment A) should be used to document information gained through correspondence, interviews, and telephone calls. Handwriting is acceptable if it is legible. Attach extra pages if necessary.

# 1.1 Site Information

Site Name:		Glual	Gluall Wood Products			
Alias Name:		Storm	Storment Max N & Linda R.			
Site Street Address:		<u>5877</u>	Compton Avenue			
City,	County, State:	Los A	Angeles, California 90001-1344			
EPA	ID Number:	CA	4000405726			
Site S	Screener:	Maje	d Al Shami	Date:	6/23/2000	
Date	of Discovery:	11/23	3/1998			
Disco	overy Vehicle:		7			
[ ] [ ] [x]	County Referral Citizen Petition RCRA Referral Site Discovery Project	[]	State Referral State PA/SI Grant Nonemergency Release Report	[]	Lawsuit Removal Newspaper Other	
Is this	s site part of an NPL site?	[]Yes	[x] No			
CER( [ ] [x]	CLIS Status: NFA Not in CERCLIS	[]	Discovery SI Other/Specify.		PA ESI te Discovery Project South Central LA	
PA/S Coop	State oversight role: PA/SI Cooperative Agreement [x] Yes [] No [] Not applicable Cooperative Agreement Number: V999252 -02 EPA Project Officer: Rachel Loftin					
RCRA Status:		[]	Generator TSDF	[ ] [x]	Transporter Not listed in RCRIS	
in a	State Database(s)? [ ] Yes	s [x] No	If yes, specify.			
CUR	RENT ACTIVITY:	[x] Site	Screening [ ] Sit	e Prio	ritization	

# 1.2 CERCLA Eligibility

If the answer to question 1 is "No", or if the answer to any question of 2 through 8 is "Yes", the site is ineligible for CERCLA evaluation and the decision at the bottom of this page is "No Further Action Under CERCLA". A "yes" answers to questions 9 through 16 identifies sites that may not be appropriate for CERCLA evaluation without further justification. If a question cannot be answered, explain why in the Comments section below.

1.	Has a release of hazardous substances, pollutants, or contaminants occurred?	[x] Yes	[ ] No
2.	Does the release or threat of release consist only of crude oil or unaltered petroleum product?	[ ] Yes	[x] No
3.	Is the site subject to corrective action under RCRA Subtitle C (hazardous waste treatment, storage, or disposal facility)?	[]Yes	[x] No
4.	Does the release or threatened release fall under the jurisdiction of the Uranium Mill Tailings Radiation Control Act (UMTRCA)?	[]Yes	[x] No
5.	Does the release or threatened release fall under the jurisdiction of the Atomic Energy Act (AEA)?	[]Yes	[x] No
6.	Is the release or threatened release a result of a legal application of pesticides under Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA)?	[]Yes	[x] No
7.	Is the release or threatened release regulated under the Oil Pollution Act (OPA)?	[ ] Yes	[x] No
8.	Is the release or threatened release permitted under the Nuclear Regulatory Commission (NRC)?	[ ] Yes	[x] No
9.	Is the site a federal facility?	~ []Yes	[x] No
10.	Is the site outside of U.S. boundaries?	[]Yes	[x] No
11.	Is the site outside of EPA, Region IX borders?	[ ] Yes	[x] No
12.	Is the site within Native American Tribal lands?	[]Yes	[x] No
<b>13</b> .	Is the site currently under the control and management of a state/local agency? If yes, which agencies?	[x] Yes	[ ] No
14.	Is the site currently operating?	[x] Yes	[ ] No
15.	Is the site address valid?	[x] Yes	[ ] No
16.	Has the site been investigated under an alias?	[]Yes	[x] No
Cor	nments: 13. The site is currently under the management of Los Angele	es County Fire Departm	ent.

DECISION: [ ] No Further Action Under CERCLA

[x] Go to Section 2

# 2.0 TECHNICAL INFORMATION

This section contains information about site's operational history and environmental sampling. Complete the following section by filling in the blanks or checking the appropriate boxes. If a question cannot be answered, explain why. If a drive-by is performed, complete Attachment B.

# 2.1 Operational History

1a. List present site owner(s) and operator(s). [Include dates of ownership]:		
Owner -Storment Max N & Linda R., 4028 Calle Marlena, San Clement CA 92672		
From 04/08/82		
Operator - Gluall Wood products. Wood laminating, Wood carving, and furniture products	lucts.	
1b. Are hazardous substances presently on site? []	Yes	[x]No
If yes, how and where are substances stored and used?  Unknown		
SHAHOWIT		
2a. List historic site owner(s) and operator(s). [Include dates of ownership]:  Owner & Operator - Storment Max & Linda R.		
Owner From 05/07/1982 to the present		
Furniture Manufacturing, from 1930-1956		
2b. Were hazardous substances present on site in the past?  If yes, how and where were substances stored and used? Describe past operations because According to County files, waste oil, paints, and solvents used and illegally disposed of	•	[]No
sampling conducted at the site so far.	at the	Site. NO
Additional comments: Site is currently looks like a Parking Lot, building is visible.		

# 2.2 Contaminant(s):

List any hazardous substances, pollutants, or contaminants that have been identified at the site and indicate whether they have been quantified (e.g., by sampling).

	; .	Suspected	Identified	Quantified	Comments
[]	Ammonia	. []	[]	r 1	
	Arsenic	. []	[]	[]	
[x]	Asbestos	[x]	[ ] [ ]	1 1	
	Beryllium	[]	[]	[]	
	Cadmium	[]	11	[ ]	ŧ
ij	Carbon tetrachloride	1 1	1 1	[]	
ii	Chloroform	11	ii	[]	
ij	Chromium (+3 or +6)	ìi	ίi	ii	
ij	Copper	ii	ii	ίí	
ij	Cyanide	ii	ii	ii	
ii	Dichloroethene,1,1-	ii	ii	ii	
ĺ	Dioxin	ii	ii	ii	
Ü	Ethyl benzene	ii	ii	ij	
[x]	Lead	[×]	ii	11	
[]	Mercury	Ü	ĺ	[]	
[]	Methylene chloride	[]	į	Ü	
[x]	Nickel .	[x]	[]	[]	
[]	P-Dichlorobenzene	[]	[ ]	[ ]	
[]	Pentachlorophenol	[]	[]	[]	
[]	Phenol	[]	[]	[]	
[x]	Polychlorinated biphenyls (PCBs)	[x]	[]	· []	
[]	Polyaromatic hydrocarbons (PAHs)	[]	[]	[]	
[x]	Tetrachloroethylene	[x]	[]	[]	
[x]	Toluene	[×]	ij	i i	
[]	Trichloroethylene	ii	ii	ii	
ĺ	Vinyl chloride	[]	11	ii	
[x]	Xylene	[x]	ii	ii	
[x]	Zinc	[x]	[]	ĪĪ	
[]	Other chemicals (List):	1	[ ]	Ĺĺ	
	Sodium hypochlorite	[]	[]	[] .	
	Methyl Ethyl Ketone (MEK)	[]	[]	[]	
	Iso Propyl Alcohol	[]	[]	[]	
	2-Propanol	[]	[]	[]	*
	Acetic Acid	[]	[]	[]	-
		[]	[]	[]	

Additional Comments: No sampling conducted at the site so far.

	[]	Yes	[] Susp	ected	[ x ] No	
2.4 Path	way(s) of	contamina	nt migrati	on:		
[:	x] Air	[x] Gro	oundwater	[x] Surfa	ace Water	[x] Soil
Direct conta of contamina	ct during soil ants to the ne	disturbance n	nay affect hui water body.	man healtl Contamin	n. Rain water : ant migration t	dust may disperse through wind and erosion may cause migration through soil may affect the quality
				· · · · · · · · · · · · · · · · · · ·		
2.5 Samı	oling Histo	ory				
1. Has sa	mpling been	conducted?	[ ] Yes [x] N	10		
	onmental san		en conducted	, use the S	Sampling Even	t Summary Table, Attachment C
2.6 Addi	tional Info	rmation				
Use this spa	ace to preser	nt additional ir	nformation th	at may be	used to supp	ort site screening decisions.
					tions at the are vities conducte	ea may qualify the site for furthered at the site.
						,
		Y				
						1100 A A A A A 1100 110 A A A A A A A A
		,				

5 DTSC-7/98

# 3.0 REMOVAL ASSESSMENT CRITERIA — NCP EVALUATION

Use the following criteria to determine if the site should be referred to EPA's Removal Section. If the answer to any question is yes, get EPA concurrence for the decision. If all answers are no, go to Section 4. If a question cannot be answered, explain why in the Comments section below.

<b>1.</b>	Is there actual or potential exposure to nearby populations, animals, or the food chain from hazardous substances, pollutants, or contaminants?	ful Vac	f 1Ma
2.	Is there actual or potential contamination of drinking supplies or	[x] Yes	[ ] <b>N</b> o
<i>Z</i> .	sensitive ecosystems?	[x] Yes	[ ] No
3.	Are hazardous substances, pollutants, or contaminants in drums, barrels, tanks, or other bulk storage containers which may pose a threat of release?	[]Yes	[x] No
4.	Are there high levels of hazardous substances, pollutants, or contaminants in soils largely at or near the surface, which may migrate and affect populations or the environment?	[x] Yes	[ ] No
5.	Could weather conditions cause hazardous substances, pollutants, or contaminants to migrate or be released?	[x] Yes	[ ] No
6.	Is there a threat of fire or explosion?	[]Yes	[x] No
7.	Are there appropriate Federal or State response mechanisms to respond to the release or potential release?	[x] Yes	[ ] No
8.	Are there other situations or factors which may pose threats to public health, welfare, or the environment?	[]Yes	[x] No
9.	For the situation where there appears to be primarily a groundwater contamination problem, is there a near-surface source which can be removed?	[] Yes	[x] No
	mments: Waste quantity and nature of contamination is currently unknown. Furthous vide accurate data. The drums stored on at the site are empty and huge metal		
		•	
DI	ECISION: [ ] Removal Assessment		
	[ ] Expanded Removal Assessment		
	[x] Not Appropriate For Removal Action		

6 DTSC-7/98

# 4.0 OTHER INFLUENCING FACTORS

Assign a high, medium, or low priority category to each of the following factors and then use these factors to help make preliminary recommendations in Section 5. A high priority influence may indicate that a Preliminary Assessment should be conducted as a high priority without regard to other screening factors.

Other Influences	High	Medium	Low
Site remedial/ removal history	[] None	[x] Some	[ ] All wastes removed
2. Regulatory involvement	[ ] No involvement	[x] Somewhat involved	[ ] Other agency currently active
Environmental justice	[x] Site is in low income/minority neighborhood		[ ] Site is not in low income or minority neighborhood
Brownfields/ Redevelopment	[x] Possible candi- date		[ ] Not a likely candidate
5. Political attention	[ ] Very visible/vocal	[x] Some involve- ment	[] None
6. Public attention	[ ] Very visible/vocal	[x] Some involve- ment	[] None
7. Remedial Costs	[ ] Likely very expensive or diffi- cult		[x] Easy and relatively cheap
Comments:			
1			
i.			
OTHER INFLUENCIN	G FACTORS CAT	EGORY:	
	HIGH	MEDIUM	(LOW)

7

# 5.0 SITE PRIORITIZATION WORKSHEET

Site Name: Gluall Wood products	Site Screener: <u>Majed Al Shami</u>
EPA ID Number:	Date: June 25, 2000
Site Screen:x	Site Prioritization:

The following risk-based criteria should be used as a guideline to assist in the prioritization of pre-CERCLIS and CERCLIS sites. These guidelines can be used in various stages of assessment. When interpreting the information provided below, one should understand that conservative assumptions were made where information is lacking and the risk value is subjective.

Site screeners should complete this form by using the categories as guidelines. The "Notes" sections should be used to document assumptions made, data sources, or other information pertinent to determining risk prioritization. For benchmarks, use industrial/residential PRGs for soil, MCLs for groundwater, and NOAA standards for sediments.

#### **5.1 HAZARDS IDENTIFICATION**

Complete the sections below for the suspected contaminants of greatest concern. Use SCDMs as a reference for assigning hazardous substance risk category. Assign a Hazard Factor for each hazardous substance evaluated and then assign an Overall Hazard Factor Value combining the separate Hazard Factors. If only one hazardous substance is evaluated, the Overall Hazard Factor Value will be the same as the Hazard Factor for A. Create sections for "Hazardous Substance C" and "D" if necessary.

HAZARDOUS SUBSTANCE A: ASBESTOS						
Estimate the risk	associated with the hazard	f properties for this hazardous subs	tance.			
Hazard HIGH MEDIUM LOW Property						
Quantity	[ ] ≥10,000 lbs; or or 5 mil. gals; or or 25,000 yds³	[x] <10,000 lbs and ≥100 lbs; or <5 mil. gals and ≥50,000 gals; or <25,000 yds³ and ≥250 yds³	[ ] <100 lbs. or 50,000 gals. or 250 yds <sup>3</sup>			
Toxicity	[x] ≥10,000	[ ] <10,000 and ≥100	[]<100			
Mobility	[]1	[ ] <1 and ≥0.001	[x] <0.001			
Bioavailabilty	[]≥1,000	[ ] <1,000 and ≥10	[x] <10			
Concentration (if known)	[ ] ≥benchmark = sample =	[ ] near benchmark = sample =	[ ] low relative to benchmark =sample =			
Level of Containment	[x] None	[ ] Partial (explain below)	[ ] Full (explain below)			
Hazard Factor for A	HIGH	[MEDIUM]	LOW			

#### **HAZARDOUS SUBSTANCE B: LEAD** Estimate the risk associated with the hazard properties for this hazardous substance. HIGH **MEDIUM** LOW Hazard **Property** [X] <10,000 lbs and ≥100 Quantity [ ] $\geq$ 10,000 lbs; or [ ] <100 lbs. or or 5 mil. gals; or lbs; or <5 mil. gals and 50,000 gals. or 250 or 25,000 yds<sup>3</sup> ≥50,000 gals; or yds3 <25,000 yds3 and ≥250 yds<sup>3</sup> **Toxicity** $[x] \ge 10,000$ [] <10,000 and ≥100 []<100 Mobility []1 [] <1 and ≥0.001 [x] < 0.001 **Bioavailabilty** $[x] \ge 1,000$ [ ] <1,000 and ≥10 []<10 Concentration [ ] ≥benchmark =CAL [ ] near benchmark = [ ] low relative to benchmark (if known) Mod. PRG Res Soil 130 sample = \_ = \_\_\_\_sample = \_\_ mg/kg sample = [ ] Partial (explain below) [ ] Full (explain below) , Level of [x] None Containment **Hazard Factor** HIGH [MEDIUM] LOW for B

HAZARDOUS SUBSTANCE C: NICKEL  Estimate the risk associated with the hazard properties for this hazardous substance.						
Hazard HiGH MEDIUM LOW Property						
Quantity	[ ] ≥10,000 lbs; or or 5 mil. gals; or or 25,000 yds³	[x] <10,000 lbs and ≥100 lbs; or <5 mil. gâls and ≥50,000 gals; or <25,000 yds³ and ≥250 yds³	[ ] <100 lbs. or 50,000 gals. or 250 yds <sup>3</sup>			
Toxicity	[x] ≥10,000	[]<10,000 and ≥100	[]<100			
Mobility	[]1	[] <1 and ≥0.001	[x] <0.001			
Bioavailabilty	[]≥1,000	[x] <1,000 and ≥10	[]<10			
Concentration (if known)	[ ] ≥benchmark = sample =	[ ] near benchmark = sample =	[ ] low relative to benchmark =sample =			
Level of Containment	[x] None	[ ] Partial (explain below)	[ ] Full (explain below)			
Hazard Factor for C	HIGH	[MEDIUM]	LOW			

#### HAZARDOUS SUBSTANCE D: POLY CHLORINATED BIPHENYLS (PCBs) Estimate the risk associated with the hazard properties for this hazardous substance. Hazard HIGH **MEDIUM** LOW **Property** [ ] <100 lbs. or Quantity [x] <10,000 lbs and ≥100 [ ] ≥10,000 lbs; or or 5 mil. gals; or lbs; or <5 mil. gals and 50,000 gals. or 250 or 25,000 yds<sup>3</sup> ≥50,000 gals; or yds<sup>3</sup> <25,000 yds3 and ≥250 yds<sup>3</sup> $[x] \ge 10,000$ [] <10,000 and ≥100 []<100 **Toxicity** []1 []<1 and ≥0.001 [x] <0.001 Mobility **Bioavailabilty** $[x] \ge 1,000$ $[] < 1,000 \text{ and } \ge 10$ []<10 [ ] low relative to benchmark Concentration [ ] ≥benchmark =PRG Res [] near benchmark = (if known) Soil .2 mg/kg cancer sample = \_ = \_\_\_\_sample = \_\_\_ sample = Level of [x] None [ ] Partial (explain below) [ ] Full (explain below) Containment LOW **Hazard Factor** HIGH [MEDIUM] for D

HAZARDOUS SUBSTANCE E: TETRACHLOROETHYLENE  Estimate the risk associated with the hazard properties for this hazardous substance.					
Hazard HIGH MEDIUM LOW Property					
Quantity	[ ] ≥10,000 lbs; or or 5 mil. gals; or or 25,000 yds³	[x] <10,000 lbs and ≥100 lbs; or <5 mil. gals and ≥50,000 gals; or <25,000 yds³ and ≥250 yds³	[ ] <100 lbs. or 50,000 gals. or 250 yds <sup>3</sup>		
Toxicity	[]≥10,000	[x] <10,000 and ≥100	[]<100		
Mobility	[]1	[]<1 and ≥0.001	[x] <0.001		
Bioavailabilty	[]≥1,000	[ ] <1,000 and ≥10	[x] <10		
Concentration (if known)	[ ] ≥benchmark = sample =3.2 mg/kg soil	[ ] near benchmark = sample =	[ ] low relative to benchmark =sample =		
Level of Containment	[ ] None	[x] Partial (explain below)	[ ] Full (explain below)		
Hazard Factor for E	HIGH	[MEDIUM]	LOW		

HAZARDOUS SUBSTANCE F: TOLUENE						
Estimate the risk	associated with the hazard pro	operties for this hazardous substar	nce.			
Hazard HIGH MEDIUM LOW Property						
Quantity	[ ] ≥10,000 lbs; or or 5 mil. gals; or or 25,000 yds³	[x] <10,000 lbs and ≥100 lbs; or <5 mil. gals and ≥50,000 gals; or <25,000 yds³ and ≥250 yds³	[ ] <100 lbs. or 50,000 gals. or 250 yds³			
Toxicity	[]≥10,000	[ ] <10,000 and ≥100	[x] <100			
Mobility	[x] 1	[]<1 and ≥0.001	[]<0.001_			
Bioavailabilty	[]≥1,000	[x] <1,000 and ≥10	[]<10			
Concentration (if known)	[ ] ≥benchmark = sample =	[ ] near benchmark = sample =	[ ] low relative to benchmark =sample =			
Level of Containment	[x] None	[ ] Partial (explain below)	[ ] Full (explain below)			
Hazard Factor for F	HIGH	[MEDIUM]	LOW			

HAZARDOUS SUBSTANCE G: XYLENE Total					
Estimate the risk	associated with the hazard pro	operties for this hazardous substa	ance.		
Hazard HIGH MEDIUM LOW Property					
Quantity	[ ] ≥10,000 lbs; or or 5 mil. gals; or or 25,000 yds³	[x] <10,000 lbs and ≥100 lbs; or <5 mil. gals and ≥50,000 gals; or <25,000 yds³ and ≥250 yds³	[ ] <100 lbs. or 50,000 gals. or 250 yds³		
Toxicity	[]≥10,000	[]<10,000 and ≥100	[x] <100		
Mobility	[x] 1	[]<1 and ≥0.001	[]<0.001		
Bioavailabilty	[]≥1,000	[x] <1,000 and ≥10	[]<10		
Concentration (if known)	[ ] ≥benchmark = sample =	[ ] near benchmark = sample =	[ ] low relative to benchmark =sample =		
Level of Containment	[x] None	[ ] Partial (explain below)	[ ] Full (explain below)		
Hazard Factor for G	HIGH	[MEDIUM]	LOW		

HAZARDOUS SUBSTANCE H: ZINC									
Estimate the risk associated with the hazard properties for this hazardous substance.									
Hazard HIGH MEDIUM LOW Property									
Quantity	{ } ≥10,000 lbs; or or 5 mil. gals; or or 25,000 yds³	[x] <10,000 lbs and ≥100 lbs; or <5 mil. gals and ≥50,000 gals; or <25,000 yds³ and ≥250 yds³	[ ] <100 lbs. or 50,000 gals. or 250 yds <sup>3</sup>						
Toxicity	[]≥10,000	[]<10,000 and ≥100	[x] <100						
Mobility	[]1	[x] <1 and ≥0.001	[]<0.001						
Bloavailabilty	[]≥1,000	[x] <1,000 and ≥10	[]<10						
Concentration (if known)	[ ] ≥benchmark =PRG = 22000 mg/kg noncancer sample =	[ ] near benchmark = sample =	[ ] low relative to benchmark =sample =						
Level of Containment	[x] None	[ ] Partial (explain below)	[ ] Full (explain below)						
Hazard Factor for H	HIGH	[MEDIUM]	LOW						

All these chemicals are The site is completely p		Sampling is	reguired to	make a d	letermination	that the	
	* ·				,	<u> </u>	
 					VY 5		
	1				4		
						,	

HIGH

**OVERALL HAZARD FACTOR VALUE:** 

12 DTSC-7/98

LOW

[MEDIUM]

# **5.2 VULNERABILITY ANALYSIS**

Assign a risk category to each of the following vulnerability factors. Assign an Overall Vulnerability Factor Value for the site based on the dominant vulnerability risk categories.

	Vulnerability Factor	High	Medium	Low
1.	Environmental Setting - Land use within 0.5 miles of the site	[ ] Residential	[ ] Agricultural/ Commercial	[x] Industrial
2.	Sensitive Populations - Children, the elderly, or groups with poor health live:	[x] Within 0.25 miles of site		[ ] More than 0.25 miles from site
3.	Population Density - Evaluate within 0.5 miles.	[x] Dense	[ ] Moderate	[] Sparse
4.	Groundwater Use - Wells used for drinking water are located:	[x] Within 0.5 miles of the site	[ ] 0.5 to 2 miles from site	[ ] More than 2 miles from site
5.	Groundwater Contamination - Evaluate groundwater contamination within 2 miles of the site.	[ ] Known	[x] Possible	[ ] Not likely
6.	Surface Water Location - Distance to nearest surface water body. If used for drinking water or known to be contaminated, bump to next higher risk category.	[ ] Within 0.5 miles of the site	[ ] 0.5 to 2 miles from site	[x] More than 2 miles from site
7.	Sensitive Habitats - Distance to nearest sensitive habitat. If known or projected contamination within habitat, bump to next higher risk category.	[ ] Within 0.5 miles of the site	[ ] 0.5 to 2 miles from site	[x] More than 2 miles from site
8.	Soil/Air Contamination - Evaluate the potential for exposure to individuals from contaminated soil or air releases.	[ ] Documented or probable exposure	[x] Potential for exposure	[ ] Exposure not likely
9.	Sampling Data Confidence - Evaluate the quality of any data available for the site.	[x] No oversight; no QA/QC; no data	[ ] Regulatory oversight; EPA methods; partial or unknown QA/QC	[ ] Regulatory oversight; EPA methods; QA/QC validation

Notes: §	Severa	l schools	are loca	ted with	<u>iin one</u>	mile rac	lius of th	e site.	Also, tl	<u>ne site is</u>	: located	close
to the p	arks.	Therefor	e, we ha	ve assi	umed	potentia	l or likel	y scen	ario for	contam	ination.	Well
location	in the	area nea	irby is at	tached	for ad	ditional i	nformat	ion.			·	

OVERALL VULNERABILITY FACTOR VALUE: HIGH [MEDIUM] LOW

# **5.3 PRIORITIZATION SCREENING RISK ANALYSIS**

OVERALL SITE PRIORITY LEVEL:

Assign a Site Priority Level based on the dominant risk categories given for the hazard and vulnerability factor values.

OTHER INFLUENCING FACTOR HIGH MEDIUM (LOW)

HAZARD FACTOR VALUE HIGH MEDIUM (LOW)

VULNERABILITY FACTOR VALUE HIGH MEDIUM (LOW)

Additional Comments:

HIGH

14 DTSC-7/98

MEDIUM

(LOW)

# 6.0 SITE RECOMMENDATION

	ame: Gluall Wood products D Number:			<u>.</u>
6.1.	Further Site Assessment Wa	arranted		
	6.1.a Under DTSC Lead		•	[]
Recom	nmend further site investigation unde	r DTSC lead.		
	6.1.b Under EPA Cooperative Ag High Priority [ ] Medium	reement Priority [x]	Low Priority [ ]	
Recom	nmend further site investigation unde	er the EPA cooperati	ve agreement.	
6.2.	Recommended for Removal or Expanded Removal Asse			[ ] [ ]
Recon	nmend referral to EPA's Removal Se	ction.		
6.3.	Referral To DTSC'S Hazardo (REFRC)	ous Waste Mana	ngement Program	[]
Recon 25187	nmend REFRC for sites that can be	remediated as a Co	orrective Action under H8	kS Code
6.4	Referral to Regional Water (	Quality Control	Board (REFRW)	[]
	nmend REFRW for sites that fall unde ght of investigation/remediation.	r RWQCB authority a	and for which RWQCB is p	providing
6.5	Referral to another agency	(REFOA)		[]
	nmend REFOA for sites where and viding or has provided oversight.	9 ,5 ,		g DTSC
6.6	No Action Under CERCLA			[]
	nmend No Action for sites where doc ards and the presence of greater con			PA/DTSC
	nents: Site sampling may be needed y cleanup the site. No sampling data			that the
<u></u>	, or a ring till dies. The damping date	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	pupped	
EPA	CONCURRENCE:	Signature Signature	12-6-00	date
		signature		uale

# Attachment A

# SITE SCREENING CONTACT LOG

Site Name: Gluall Wood products

Site Screener: Majed Al Shami

Contact Name	Affiliation	Telephone Number	Date	Discussion
Mr. Carl Sjoberg	LA County Public Works Env. Programs	626-458-3539	6/1/00	Sent a letter requesting information regarding the site's file.
Mr. Richard Gillaspy	LA County Fire DeptHAZMAT	323-890-4085	6/1/00	Sent a letter requesting information regarding the site's file.
Mr. John Kilgore	LA County Sanitation Dist.	562-699-2906	6/1/00	Sent a letter requesting information regarding the site's file.
Mr. Thomas Klinger	LA County Fire DeptHAZMAT	323-890-4106	6/1/00	Sent a letter requesting information regarding the site's file.
Mr. Joe Maturino	LA City - Env. Affairs Dept.	213-5801070	6/1/00	Sent a letter requesting information regarding the site's file.
Mr. Marcus Look	LA City Fire Dept.	213-485-7640	6/1/00	Sent a letter requesting information regarding the site's file.
Mr. Samuel Kaddis	LA County Public Health Investigation	323-890-7806	6/1/00	Sent a letter requesting information regarding the site's file.
Ms. Jenny Au	RWQCB	213-576-6760 213-5766600	6/1/00	Sent a letter requesting information regarding the site's file.
Mr. Glenn Castillo	DTSC Region 3	818-551-2886	6/1/00	Sent a letter requesting information regarding the site's file.
Mr. Carl Sjoberg	LA County Public Works Env. Programs	626-458-3539	6/1/00	Fax received indicating that no file available for this site.
Mr. Glenn Castillo	DTSC Region 3	818-551-2886	6/1/00	Responded that no files available for this site.
Mr. Solomon Miranda	RWQCB	213-576-6760 213-5766600	6/1/00	Responded that no files available in site cleanup unit for this site.
Mr. Marcus Look	LA City Fire Dept.	213-485-8327		Responded that no files available for this site. If it is a generator, county will keep the files.
				,

# **Attachment A**

# SITE SCREENING CONTACT LOG

Site Name: Gluall Wood Products Site Screener: Majed Al Shami

Contact Name	Affiliation	Telephone Number	Date	Discussion
Ms. Cynthia Blank	LA County Sanitation Dist.	562-699-7411 Ext. 2927	6/1/00	No permit applied for this site and therefore, no file available.
				·
,				
	-			
~	-			
		`		
			-	
				,

# **ATTACHMENT B**

# SITE SCREENING OBSERVATION RECORD


EPA ID Number:						
1. Status:			X	Different Compan	ny	
•	macave _			- W		
2. Setting:	Residenti	al		Commercial	X	
_			X	Agricultural		
	Paved		X	Unpaved		
	Restricted	daccess	X	Unrestricted acces	s	
	Near RR	tracks	<u> </u>	Near drainage		
3. Visibility:	Clear					
I. Waste De	scription/ P	Pit		Ditch		
Containme	ent: T	anks	X	Buckets	x	
	D	oumpster	X	Sacks		
	S	cattered		Other	,	
	P	ond		Trash Can	X	
				Piles		
Stored O	n: A	sphalt	x	Pallets		
				Other		
	B	areGround		Gravel		
Waste Ty	pe: G	Sarbage	x	Liquid	x	
	S	ludge		Gas		
	Ir	nert		Solid	X	
is restricte  5. Distance city. The F	to surface v	water and s	ensitive env	ironments or ecosystems: There are some small mand in Angeles River is located app	Not close. This is the inn	
seven (7)	elementary s	schools, one	e (1) Junior H	acilities, hospitals, nursing igh, and one (1) High School eational parks (South Park, M	are located within one (1	
				) mile radius of the site.	icolecci Detribile Fair, al	
7. Estimated		people livir		g in the area: There may be 1	0,000 people within two	
located wi	thin one (1) r	<u>mile radius o</u>		gricultural production: The sidential population with singles the area.		


. Add	litional Information:	
-		
10. S	Sketch or attach a diagram of the facility with relevant features and labels.	
	•	
	•	
	•	
	•	


HODPER


The site

Compton Ave.










DATA ENTRY FORM FOR DISC	OVERY OF SITI	C

SITE NAME: Gluall Wood Products				*EPA ID#		
ALIAS NAME(S): 1.			2.			
SITE ADDRESS:						
CITY:		STATE:			ZIP COI	DE:
COUNTY:			SECTION	N: SFD-		
REGIONAL LATITUDE.		REGION	IAL LONG	SITUDE:		
IDENTIFIED BY:		NPL STA	ATUS:			
REMOVAL INITIATION DATE OR DI	SCOVERY DATE:					
FED FAC INDFederal Facility	Not a Federal	I Facility	_Status Ur	ndetermined		·
Manufacturing/Processing/Maintenance (Subcategory) Primary   Secondary	stribution and paper I preserving/treatmen ng and allied	Other (Subcate Primary  —   —   —   —   —   —   —   —   —   —   —   —    Mining (Subcate Primary	egory)   Secondar   Agricultu   Contamir   Dust cont   Ground v   Military/o   Product s   Research   Retail/con   Spill or o   Transport   docking s   Treatment	ry  nated sedime  trol  water plume other ordina  ctorage/distri , developme mmercial other one tim tation (e.g. 1) site nt works/sep	ent site with rance ibution ent, and testant railroad ya	th no identifiable source no identifiable source sting facility ards, airports, barge other sewage treatment
Waste Management (Subcategory) Primary   Secondary    Radioactive waste treatment, stor   Municipal solid waste landfill   Mine tailings disposal   Industrial waste landfill   Industrial waste facility (non general)   Bllegal disposal/open dump   Co-disposal landfill (municipal and	erator)	_	Non-meta_ Oil and g ng egory)   Secondar _Automob _Batteries/ metal rec	ry iles/tires /scrap metal covery ls/chemicals	ls/secondar	ry smelting/precious g. solvent recovery)
PREPARED BY				DATE:		
IMC:	DATE:	INDUS:				DATE
0A/0C:		DATE:				





#### Records for this property are kept at the South District Office

**Property Information** 

Assessor's Id. Number

6008-021-001

Site Address

5877 COMPTON AVE

LOS ANGELES CA 90001

Property Type

Commercial / Industrial

Region / Cluster

26 / 26604

Tax Rate Area (TRA)

01166

#### Tuck liere to View Assessor's Map

#### **Recent Sale Information**

Latest Sale Date Indicated Sale Price

#### Search for Recent Sales

#### 2005 Roll Values

Recording Date	02/13/2004
Land	\$178,500
Improvements	\$290,700
Personal Property	\$0
Fixtures	\$0
Homeowners' Exemption	\$0
Real Estate Exemption	\$0
Personal Property Exemption	\$0
Fixture Exemption	\$0

#### Tick Here for 2005 Annual Taxes

#### Estimate Supplemental Texes

#### Legal Description

S MCCRAY'S ORANGE PLACE EX OF ST LOTS 1 AND LOT 2 BLK

#### Building Description(s)

#### Improvement 1

Square Footage	9,440
Year Built / Effective Year Built	1936 / 1936
Bedrooms / Bathrooms	0/0
Units	0


#### Mich Here for Another Sealch

#### COUNTY OF LOS ANGELES . DEPARTMENT OF HEALTH SERVICES'

HAZARDOUS MATERIALS CONTROL PROGRAM	Date 3/5/90
Address 587) Compton Aug	Refer Reply To: W Peret 2615 South Grand Avenue, Room 607 Los Angeles, CA 90007
City, Zip Code 1.A. (G. 9000)	(213) 748-1605 (FAX)
NOTICE OF VIOLATION AND ORDER TO COM	APLY

The following conditions or practices observed at your facility are violations of the California Code of Regulations (CCR), Title 26, Division 22

or the Californ disposal of haze	ia Health and ardous waste. Y	Safety Code, Division 20, Chapter 6.5, (H&S) which relate to the storage, management, transportation, and OU ARE DIRECTED TO CORRECT THE VIOLATIONS WITHIN THE TIMES SPECIFIED BELOW.
CORRECTION DAT	E	
V 7	DISI	POSAL:
ad once	_ 1.	Discontinue the disposal of hazardous waste to an unauthorized point(s)  (Has 25189.5) Various Salverte of various transfer to the salverte of
.d	_/	(A&3 2) 189.5)
as onch	_ 💟 2.	Legally dispose of all hazardous waste and contaminated materials (H&S 25189.5)
	*	(Has 25189.5) & (Has 25186.2)
. 1		
366 150	3.	VAGEMENT:  Submit to this office a copy of your facility's hazardous materials contingency plan and employee training plan.
	<u>[. X</u> ] 0.	(CCR 67105, 67120-67126, 67140-67145)
		(cont 0/10), 0/120-0/120, 0/140-0/140)
	TRA	NSPORTATION:
<u> </u>	_	Discontinue the transport of hazardous waste until the following have been met:
	_ <u> </u>	A. Obtain an EPA Identification Number from the State Department of Health Services at (916) 324-1781
	_ 🗆	(CCR 66472)  B. Complete a uniform Hazardous Waste Manifest or obtain a receipt when applicable under State Department of Health Services variance procedures.
		C. Transport all hazardous waste by a State registered hauler. (H&S 25163)
312490	_ <u>_</u> 5.	Submit to this office a copy of the completed hazardous waste manifest(s) used to dispose of
	_ ☑ 6.	Norman Sadurated Yang in Sad Contabers (4) (CCR) 66328).  Keep copies at your facility of all completed manifests, receipts or both for a minimum of 3 years and make documents available for agency review.  (CCR-66492)
	STO	RAGE:
	_ 🗆 🗓	Discontinue the storage of hazardous waste for longer than 90 days without a permit from the State Department
at once	_ \( \overline{\partial} \) 8.	of Health Services (CCR 66508)  Store all hazardous waste in compatible containers which are closed and in good condition.
at once	_ 🛛 .	(CCR 66241-67243)
	<del></del>	Properly label all hazardous waste containers with the following: the words, "HAZARDOUS WASTE"; name and address of generator; hazardous properties; a composition and physical state of the waste; and the accumulation date.
	•	(CCR 66693-66746)
	ОТН	ER:
	_ 🔲 10.	Provide this office with a site assessment and mitigation plan for the contamination at your facility
		(H&S 25245-25249)
	_ [_] 11.	Provide this office with a copy of a waste determination conducted by a state certified laboratory or waste documentation in accordance to the regulations.
Li las	_/	(CCR 66693-66746)
312610	_ 🛛 12.	The Encourage all surphysics to be dust mark obvious working
		2) travels HED; to all containst wonders of same we
	٠	(3) kindly High to all (reform) & honorid & Samp, and w
Failare r		with this Notice and Order may result in further legal action.
<del>"</del> \	<del>vivi čiš</del> v	DAGUICAD IN WIEL



# **Material Safety Data Sheet**

SECTION I - Material Identity

SECTION II - Manufacturer's Information

**SECTION III - Physical/Chemical Characteristics** 

SECTION IV - Fire and Explosion Hazard Data

SECTION V - Reactivity Data

SECTION VI - Health Hazard Data

SECTION VII - Precautions for Safe Handling and Use

**SECTION VIII - Control Measures** 

SECTION IX - Label Data

SECTION X - Transportation Data

SECTION XI - Site Specific/Reporting Information

SECTION XII - Ingredients/Identity Information

#### **SECTION I - Material Identity**

Item Name

Part Number/Trade Name T-385 PAINT THINNER

National Stock Number 8010001605787

CAGE Code 02388

Part Number Indicator A

MSDS Number 191620

HAZ Code B

#### SECTION II - Manufacturer's Information

Manufacturer Name NILES CHEMICAL PAINT CO

P.O. Box 307

Street 225 FORT STREET

City NILES
State MI
Country US
Zip Code 49120

Emergency Phone 800-424-9300 CHEMTREC

Information Phone 616-683-3377 (24HR)219-236-

5856

#### **MSDS Preparer's Information**

Date MSDS Prepared/Revised

05DEC01

Active Indicator

Ý

#### Alternate Vendors

#### **SECTION III - Physical/Chemical Characteristics**

Specification Number A-A0857B

NRC License Number NR

Appearance/Odor LIQUID, ODOR OF SOLVENTS

Boiling Point 175-262 F

Melting Point NR
Vapor Pressure NR

Vapor Density > AIR
Specific Gravity 0.83
Evaporation Rate < ETHER
Solubility in Water SLIGHT
Percent Volatiles by Volume 100

Chemical pH NA

Corrosion Rate MINIMAL

Container Pressure Code 1
Temperature Code 4
Product State Code L

#### **SECTION IV - Fire and Explosion Hazard Data**

Flash Point -7
Flash Point Method TCC
Lower Explosion Limit 0.9

Upper Explosion Limit 11

Extinguishing Media DRY CHEMICAL, FOAM, CO2

Special Fire Fighting Procedures WEAR SCBA WITH FULL FACE PIECE

IN POSITIVE PRESSURE MODE AND FULL PROTECTIVE CLOTHING.
WATER MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT

PRESSURE BUILD UP

Unusual Fire/Explosion Hazards KEEP CONTAINERS TIGHTLY

CLOSED. VAPORS ARE HEAVIER THAN AIR AND MAY TRAVEL ALONG GROUND TO AN IGNITION SOURCE. ISOLATE FROM HEAT, SPARKS, ELECTRICAL EQUIPMENT, AND OPEN

FLAME. CLOSED CONTAINERS MAY

EXPLODE WHEN EXPOSED TO

EXTREME HEAT

#### SECTION V - Reactivity Data

Stability

Stability Conditions to Avoid

Materials to Avoid

YES

AVOID HIGH TEMPERATURES

STRONG OXIDIZERS, CHLORINATED

COMPOUNDS, NITRATES, ALKALIES

AND ACIDS

Hazardous Decomposition Products CAN PRODUCE CARBON MONOXIDE

AND OR CARBON DIOXIDE

Polymerization Conditions to Avoid

LD50 - LD50 Mixture

Hazardous Polymerization

WILL NOT OCCUR

NR

#### SECTION VI - Health Hazard Data

Route of Entry: Skin . Route of Entry: Ingestion Route of Entry: Inhalation

Health Hazards - Acute and Chronic

YES YES

YES

[EYE] SEVERE IRRITATION, LACRIMATION, REDNESS, BLURRED

VISION. [SKIN] REDNESS AND IRRITATION, DEFATTING OF THE SKIN LEADING TO DERMATITIS. [INHAL] NASAL AND RESPIRATORY IRRITATION. CNS DEPRESSION,

DIZZINESS, DROWSINESS,

WEAKNESS, FATIGUE, CONFUSION, NAUSEA, HEADACHE. [INGEST] GASTROINTESTINAL IRRITATION,

ABDOMINAL PAIN, NAUSEA,

VOMITING, DIARRHEA

Carcinogenity: NTP Carcinogenity: IARC Carcinogenity: OSHA

Explanation of Carcinogenity

Symptoms of Overexposure

Medical Cond. Aggrevated by Exposure

Emergency/First Aid Procedures

NO NO

NOT LISTED BY NTP, IARC, OR

OSHA

SEE ABOVE

NONE KNOWN

[INHAL] MOVE VICTIM TO FRESH AIR AT ONCE. IF BREATHING HAS STOPPED PERFORM ARTIFICAL RESPIRATION. GET MED ATTEN. [SKIN] WASH WITH SOAP/WATER [EYE] IMMEDIATELY FLUSH EYES WITH LARGE AMOUNT OF WATER FOR AT LEAST 15 MINUTES, LIFTING UPPER AND LOWER LIDS. GET MEDICAL ATTENTION IMMEDIATELY [INGEST] DRINK 1 TO 2 GLASSES

OF WATER. DO NOT INDUCE VOMITING. CONSULT A PHYSICIAN

OR POISON CONTROL CENTER



#### SECTION VII - Precautions for Safe Handling and Use

Steps if Material Released/Spilled

ELIMINATE ALL IGNITION SOURCES. MINIMIZE THE

BREATHING OF VAPORS AND AVOID SKIN CONTACT. ABSORB WITH INERT MATERIAL SUCH AS CLAY, SOIL, OR A COMMERCIALLY AVAILABLE ABSORBENT. SHOVEL RECLAIMED LIQUID AND ABSORBENT INTO RECOVERY OR SALVAGE DRUMS

FOR DISPOSAL

Neutralizing Agent

Waste Disposal Method

DUSPOSE OF IN ACCORDANCE WITH

APPLICABLE LOCAL, STATE, AND

FEDERAL REGULATIONS AVOID STORAGE IN HIGH

Handling and Storage Precautions

TEMPERATURE AREAS OR NEAR FIRE OR OPEN FLAME. KEEP CONTAINERS CLOSED WHEN NOT IN USE. AVOID

ROUGH HANDLING

Other Precautions

CONTAINERS OF THIS MATERIAL MAY BE HAZARDOUS WHEN EMPTY. DO NOT WELD OR FLAME CUT ON EMPTY DRUMS. SHOCK FROM DROPPING MAY SPLIT CONTAINER

#### SECTION VIII - Control Measures

Respiratory Protection

WEAR AN APPROVED (TYPE TC-23C-75) PROPERLY FITTED HALF-MASK OR FULL FACEPIECE RESPIRATOR (NIOSH/MSHA) DURING AND AFTER APPLICATION UNLESS AIR MONITORING DEMONSTRATES VAPOR/MIST LEVELS ARE BELOW APPLICABLE LIMITS. FOLLOW RESPIRATOR MANU GUIDLINES FOR USE

Ventilation

SUFFICIENT VENTILATION IN VOLUME AND PATTERN SHOULD BE PROVIDED TO KEEP THE AIR CONCENTRATION BELOW EXPOSURE

LIMITS

Protective Gloves

Eye Protection

NITRILE OR VITON

CHEMICAL GOGGLES OR SAFETY

**GLASSES** 

Other Protective Equipment

Work Hygenic Practices

WASH PROMPTLY WHEN SKIN

BECOMES CONTAMINATED. WASH

2-1-14-6

HANDS BEFORE EATING, SMOKING, OR USING RESTROOMS

REMOVE ANY CLOTHING THAT

BECOMES (TO AVOID FLAMMABILITY HAZARD) AND WASH BEFORE REUSE

# Supplemental Health/Safety Data

#### SECTION IX - Label Data

•	
Protect Eye	YES
Protect Skin	YES
Protect Respiratory	YES
Chronic Indicator	YES
Contact Code	SLIGHT
Fire Code	UNKNOWN
Health Code	UNKNOWN
React Code	UNKNOWN
Specific Hazard and Precaution	TARGET ORGANS: EYE, RESPIRATORY SYSTEM, CENTRAL NERVOUS SYSTEM, LIVER, KIDNEY

#### SECTION X - Transportation Data

		•
Container Quantity	1	
Unit of Measure	GL .	

#### SECTION XI - Site Specific/Reporting Information

Volatile Organic Compounds	(P/G)	6.92
Volatile Organic Compounds	(G/L)	829.2848

#### SECTION XII - Ingredients/Identity Information

Ingredient #	01
Ingredient Name	ACETIC ACID, BUTYL ESTER
CAS Number	123864
Proprietary	NO
Percent	32
OSHA PEL	150 PPM
ACGIH TLV	150 PPM
Ingredient #	02
Ingredient Name	2-BUTANONE
CAS Number	78933
Proprietary	ИО
Percent	24
OSHA PEL	200 PPM

Ingredient #

CAS Number

Percent

Ingredient Name

ACGIH TLV 200 PPM 03 Ingredient # Ingredient Name BENZENE, METHYL-108883 CAS Number NO Proprietary Percent 17 OSHA PEL 100 PPM 100 PPM ACGIH TLV Ingredient # 04 Ingredient Name SOLVENT NAPHTHA (PETROLEUM), LIGHT ALIPH CAS Number 64742898 NO Proprietary Percent 14 OSHA PEL 300 PPM ACGIH TLV 300 PPM Ingredient # 05 1-BUTANOL Ingredient Name 71363 CAS Number Proprietary NO Percent 10 OSHA PEL 300 PPM ACGIH TLV 300 PPM

05

3

1002

PROPRIETARY INGREDIENTS



# U.S. Environmental Protection Agency Resource Conservation and Recovery Act (RCRAInfo)

GO Recent Additions | Contact Us | Print Version EF Search: EPA Home > Envirofacts > RCRAInfo > Query Results

## Query Results



Consolidated facility information (from multiple EPA systems) was searched to select facilities

Location Address: 5877 compton

City Name: los angeles County Name: los angeles State Abbreviation: ca EPA Region Code: 09

Results are based on data extracted on JAN-10-2006

Total Number of Facilities Displayed: 0

EPA Home | Privacy and Security Notice | Contact Us

Last updated on Thursday, January 26th, 2006 http://oaspub.epa.gov/enviro/fii\_master fii\_retrieve



Groundwater Basin Number: 4-11.04

County: Los Angeles

Surface Area: 177,000 acres (277 square miles)

#### **Basin Boundaries and Hydrology**

The Central Subbasin occupies a large portion of the southeastern part of the Coastal Plain of Los Angeles Groundwater Basin. This subbasin is commonly referred to as the "Central Basin" and is bounded on the north by a surface divide called the La Brea high, and on the northeast and east by emergent less permeable Tertiary rocks of the Elysian, Repetto, Merced and Puente Hills. The southeast boundary between Central Basin and Orange County Groundwater Basin roughly follows Coyote Creek, which is a regional drainage province boundary. The southwest boundary is formed by the Newport Inglewood fault system and the associated folded rocks of the Newport Inglewood uplift. The Los Angeles and San Gabriel Rivers drain inland basins and pass across the surface of the Central Basin on their way to the Pacific Ocean. Average precipitation throughout the subbasin ranges from 11 to 13 inches with an average of around 12 inches.

#### **Hydrogeologic Information**

#### Water Bearing Formations

Throughout the Central Basin, groundwater occurs in Holocene and Pleistocene age sediments at relatively shallow depths. The Central Basin is historically divided into forebay and pressure areas. The Los Angeles forebay is located in the northern part of the Central Basin where the Los Angeles River enters the Central Basin through the Los Angeles Narrows from the San Fernando Groundwater Basin. The Montebello forebay extends southward from the Whittier Narrows where the San Gabriel River encounters the Central Basin and is the most important area of recharge in the subbasin. Both forebays have unconfined groundwater conditions and relatively interconnected aquifers that extend up to 1,600 feet deep to provide recharge to the aquifer system of this subbasin (DWR 1961). The Whittier area extends from the Puente Hills south and southwest to the axis of the Santa Fe Springs-Coyote Hills uplift and contains up to 1,000 feet of freshwater-bearing sediments. The Central Basin pressure area is the largest of the four divisions, and contains many aquifers of permeable sands and gravels separated by semi-permeable to impermeable sandy clay to clay, that extend to about 2,200 feet below the surface (DWR 1961). The estimated average specific yield of these sediments is around 18 percent. Throughout much of the subbasin, the aquifers are confined, but areas with semipermeable aquicludes allow some interaction between the aquifers (DWR 1961).

The main productive freshwater-bearing sediments are contained within Holocene alluvium and the Pleistocene Lakewood and San Pedro Formations (DWR 1961). Throughout most of the subbasin, the near surface Bellflower aquiclude restricts vertical percolation into the Holocene age Gaspur aquifer and other underlying aquifers, and creates local semi-perched groundwater

conditions. The main additional productive aquifers in the subbasin are the Gardena and Gage aquifers within the Lakewood Formation and the Silverado, Lynwood and Sunnyside aquifers within the San Pedro Formation (DWR 1961). Specific yield of deposits in this subbasin range up to 23 percent in the Montebello forebay, 29 percent in the Los Angeles forebay, and 37 percent in the Central Basin pressure area (DWR 1961). Historically, groundwater flow in the Central Basin has been from recharge areas in the northeast part of the subbasin, toward the Pacific Ocean on the southwest. However, pumping has lowered the water level in the Central Basin and water levels in some aquifers are about equal on both sides of the Newport-Inglewood uplift, decreasing subsurface outflow to the West Coast Subbasin (DWR 1961).

There are several principal aquifers/aquicludes present in this subbasin.

Aquifers/ Aquiclude	Age	Formation	Lithology	Maximum Thickness (feet)
Gaspur	Holocene		Coarse sand, gravel	120
Semiperched	Holocene		Sand, gravel	60
Beliflower	Pleistocene	Lakewood Formation	Clay, sandy clay	140
Gardena	Pleistocene	Lakewood Formation	Sand, gravel	160
Gage			Sand	120
Silverado	Lower Pleistocene	San Pedro Formation	Sandy gravel	300
Lynwood			Coarse sand and gravel	150
Sunnyside			J	350

#### Restrictive Structures

Many faults, folds and uplifted basement areas affect the water-bearing rocks in the Central Basin. Most of these structures form minor restrictions to groundwater flow in the subbasin. The strongest effect on groundwater occurs along the southwest boundary to the Central Subbasin. The faults and folds of the Newport – Inglewood uplift are partial barriers to movement of groundwater from the Central Basin to the West Coast Basin (DWR 1961). The La Brea high is a system of folded, uplifted and eroded Tertiary basement rocks. Because the San Pedro Formation is eroded from this area, subsurface flow southward from the Hollywood Basin is restricted to the Lakewood formation (DWR 1961). The Whittier Narrows is an eroded gap through the Merced and Puente Hills that provides both surface and subsurface inflow to the Central Basin (DWR 1961). The Rio Hondo, Pico, and Cemetery faults are northeast-trending faults that project into the gap and displace aquifers. The trend of these faults parallels the local groundwater flow and do not act as significant barriers to groundwater flow (DWR 1961).



Groundwater enters the Central Basin through surface and subsurface flow and by direct percolation of precipitation, stream flow, and applied water; and replenishes the aquifers dominantly in the forebay areas where permeable sediments are exposed at ground surface (DWR 1961). Natural replenishment of the subbasin's groundwater supply is largely from surface inflow through Whittier Narrows (and some underflow) from the San Gabriel Valley. Percolation into the Los Angeles Forebay Area is restricted due to paving and development of the surface of the forebay. Imported water purchased from Metropolitan Water District and recycled water from Whittier and San Jose Treatment Plants are used for artificial recharge in the Montebello Forebay at the Rio Hondo and San Gabriel River spreading grounds (DWR 1999). Saltwater intrusion is a problem in areas where recent or active river systems have eroded through the Newport Inglewood uplift. A mound of water to form a barrier is formed by injection of water in wells along the Alamitos Gap (DWR 1999).

#### **Groundwater Level Trends**

Water levels varied over a range of about 25 feet between 1961 and 1977 and have varied through a range of about 5 to 10 feet since 1996. Most water wells show levels in 1999 that are in the upper portion of their recent historical range.

#### **Groundwater Storage**

**Groundwater Storage Capacity.** Total storage capacity of the Central Basin is 13,800,000 (DWR 1961).

Groundwater in Storage.

#### Groundwater Budget (Type A)

A complete water budget could not be constructed due to the lack of data available. Recharge to the subbasin is accomplished through both natural and artificial recharge. The Watermaster reported natural recharge for the subbasin to be 31,950 af and artificial recharge to be 63,688 af for 1998 (DWR 1999). Additionally, the subbasin receives 27,000 af/yr of water through the Whittier Narrows from the San Gabriel Valley Basin in the form of subsurface flow (SWRB 1952). Urban extractions for the subbasin were 204,335 af in 1998 (DWR 1999).

#### **Groundwater Quality**

Characterization. TDS content in the subbasin ranges from 200 to 2,500 mg/l according to data from 293 public supply wells. The average for these 293 wells is 453 mg/l.

#### Impairments.

#### Water Quality in Public Supply Wells

Constituent Group <sup>1</sup>	Number of wells sampled <sup>2</sup>	Number of wells with a concentration above an MCL <sup>3</sup>
Inorganics – Primary	316	15
Radiological	315	1
Nitrates	315	2
Pesticides	322	0
VOCs and SVOCs	344	43
Inorganics - Secondary	316	113

<sup>&</sup>lt;sup>1</sup> A description of each member in the constituent groups and a generalized discussion of the relevance of these groups are included in California's Groundwater Bulletin 118 by DWR (2003).
 Represents distinct number of wells sampled as required under DHS Title 22

#### **Well Production characteristics**

	Well yields (gal/min)	* · · · · · · · · · · · · · · · · · · ·
Municipal/Irrigation		
,	Total depths (ft)	-
Domestic ,		
Municipal/Irrigation		

#### **Active Monitoring Data**

Agency	Parameter	Number of wells /measurement frequency
USGS	Groundwater levels	90
DWR	Groundwater levels	87
Los Angeles County Public Works	Groundwater levels	212 / Bi-monthly
USGS	Miscellaneous water quality	64
Department of Health Services and cooperators	Title 22 water quality	294

program from 1994 through 2000.

Bach well reported with a concentration above an MCL was confirmed with a second detection above an MCL. This information is intended as an indicator of the types of activities that cause contamination in a given basin. It represents the water quality at the sample location. It does not indicate the water quality delivered to the consumer. More detailed drinking water quality information can be obtained from the local water purveyor and its annual Consumer Confidence Reports

#### **Basin Management**

Groundwater management: Central Basin was adjudicated in 1965, and the Department of Water Resources was

appointed Watermaster. Every month extractions are reported to the Watermaster by

each individual pumper. This allows the Watermaster to regulate the water rights of the

subbasin. (DWR 1999)

Water agencies

Public City of Bellflower, Bellflower-Somerset MWC,

City of Compton, City of Huntington Park, City of Long Beach, City of Los Angeles DWP, City of Montebello, City of Paramount, City of Pico Rivera, City of Santa Fe Springs, Sativa LA County WD, City of Signal Hill, South Montebello ID, City of South Gate, City of Vernon, City of Whittier. (DWR 1999)

Private California-American Water Company,

Montebello Land and Water Company,

Bellflower Home Garden Water Co., California

Water Service, Lynwood Park MWC, Maywood MWC, Park Water Company, Pearless Water Company, San Gabriel Valley Water Company, Southern California Water Company, Tract No. 180 Water Company,

Tract 349 MWC, Western Water

Company.(DWR 1999)

#### **References Cited**

California Department of Water Resources (DWR). 1961. Planned Utilization of the Ground Water Basins of the Coastal Plain of Los Angeles County. Bulletin No. 104.

\_\_\_\_\_, Southern District. 1999. Watermaster Service in the Central Basin, Los Angeles County, July 1, 1998 – June 30, 1999.

California State Water Resources Board (SWRB). 1952. Central Basin Investigation. Bulletin No. 8.

#### **Additional References**

United States Geological Survey (USGS). 2000. Analysis of the Geohydrology and Water-management Issues of the Central and West Basins, Los Angeles County, California. Internet Web Site: <a href="http://water.wr.usgs.gov/projects00/ca512.html">http://water.wr.usgs.gov/projects00/ca512.html</a>.

Water Replenishment District of Southern California. 2000. Annual Report on Results of Water Quality Monitoring Water Year 1998-1999.

\_\_\_\_\_. 2000. Engineering Survey and Report.

#### **Errata**

Changes made to the basin description will be noted here.

# APPENDIX F: EPA Quick Reference Fact Sheet

Publication 9345.4-03FS

September 1993

**€EPA** 

# SITE ASSESSMENT: Evaluating Risks at Superfund Sites

Office of Emergency and Remedial Response Hazardous Site Evaluation Division 5204G


Quick Reference Fact Sheet

# The Challenge of the Superfund Program

A series of headline-grabbing stories in the late 1970s, such as Love Canal, gave Americans a crash course in the perils of ignoring hazardous waste. At that time, there were no Federal regulations to protect the country against the dangers posed by hazardous substances (mainly industrial chemicals, accumulated pesticides, cleaning solvents, and other chemical products) abandoned at sites throughout the nation. And so, in 1980 Congress passed the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), commonly known as Superfund, to address these problems.

The major goal of the Superfund program is to protect human health and the environment by cleaning up areas, known as "sites," where hazardous waste contamination exists. The U.S. Environmental Protection Agency (EPA) is responsible for implementing the Superfund program.

At the time it passed the Superfund law, Congress believed that the problems associated with uncontrolled releases of hazardous waste could be



handled in five years with \$1.6 billion dollars. However, as more and more sites were identified, it became apparent that the problems were larger than anyone had originally believed. Thus, Congress passed the Superfund Amendments and Reauthorization Act (SARA) in 1986. SARA expanded and strengthened the authorities given to EPA in the original legislation and provided a budget of \$8.5 billion over five years. Superfund was extended for another three years in 1991.

# What is EPA's Job at Superfund Sites?


For more than 10 years, EPA has been implementing the Superfund law by:

- Evaluating potential hazardous waste sites to determine if a problem exists;
- Finding the parties who caused the hazardous waste problems and directing them to address these problems under EPA oversight or requiring them to repay EPA for addressing these problems; and
- Reducing immediate risks and tackling complex hazardous waste problems.

The Superfund site assessment process generally begins with the discovery of contamination at a site and ends with the completion of remediation (i.e., cleaning up the waste at a site) activities. This fact sheet explains the early part of the process, called the *site assessment* phase.

# The National Response Center

The National Response Center (NRC), staffed by Coast Guard personnel, is the primary agency to contact for reporting all oil, chemical, and biological discharges into the environment anywhere in the U.S. and its territories. It is responsible for:



- Maintaining a telephone hotline 365 days a year, 24 hours a day;
- Providing emergency response support in specific incidents; and
- Notifying other Federal agencies of reports of pollution incidents.

To report a pollution incident, such as an oil spill, a pipeline system failure, or a transportation accident involving hazardous material, call the NRC hotline at 800-424-8802.

Site Discovery

Hazardous waste sites are discovered in various ways. Sometimes concerned residents. find drums filled with unknown substances surrounded by dead vegetation and call the NRC, EPA, or the State environmental agency; or an anonymous caller to the NRC or EPA reports suspicious dumping activities. Many sites come to EPA's attention through routine inspections conducted by other Federal, State, or local government officials. Other sites have resulted from a hazardous waste spill or an explosion. EPA enters these sites into a computer system that tracks any future Superfund activities.

Preliminary Assessment


After learning about a site, the next step in the site assessment process is to gather existing information about the site. EPA calls this the *preliminary assessment*. Anyone can request that a preliminary assessment be performed at a site by petitioning EPA, the State environmental agency, local representatives, or health officials.

During the preliminary assessment, EPA or the State environmental agency:

- Reviews available background records;
- Determines the size of the site and the area around it;

- Tries to determine whether hazardous substances are involved;
- Identifies actual or potential pollution victims, such as the nearby population and sensitive environments;
- Makes phone calls or interviews people who may be familiar with the site; and
- Evaluates the need for early action using EPA's removal authority.

By gathering information and possibly visiting the site, EPA or the State environmental agency is able to determine if major threats exist and if cleanup is needed. Many times, the preliminary assessment indicates that no major threats exist.



However, if hazardous substances do pose an immediate threat, EPA quickly acts to address the threat. When a site presents an immediate danger to human health or the environment—for example, there is the potential for a fire or an explosion or the drinking water is contaminated as a result of hazardous substances leaking out of drums—EPA can move quickly to address site contamination. This action is called a removal or an early action. Additional information on early actions can be found on page 4.

EPA or the State environmental agency then decides if further Federal actions are required. Of the more than 35,000 sites discovered since 1980, only a small percentage have needed further remedial action under the Federal program.

A report is prepared at the completion of the preliminary assessment. The report includes a description of any hazardous substance release, the possible source of the release, whether the contamination could endanger people or the environment, and the pathways of the release. The information outlined in this report is formed into hypotheses that are tested if further investigation takes place. You can request a copy of this report once it becomes final—just send your name and address to your EPA regional Superfund office. See page 8 for further information on these contacts.

Sometimes it is difficult to tell if there is contamination at the site based on the initial information gathering. When this happens, EPA moves on to the next step of the site assessment, called the site inspection.

### **Making Polluters Pay**

One of the major goals of the Superfund program is to have the responsible parties pay for or conduct remedial activities at hazardous waste sites. To accomplish this goal, EPA:

- Researches and determines who is responsible for contaminating the site;
- Issues an order requiring the private parties to perform cleanup actions with EPA oversight; and
- Recovers costs that EPA spends on site activities from the private parties.

# Removals/Early Actions

EPA can take action quickly if hazardous substances pose an immediate threat to human health or the environment. These actions are called *removals* or *early actions* because EPA rapidly eliminates or reduces the risks at the site. EPA can take a number of actions to reduce risks, including:

- Fencing the site and posting warning signs to secure the site against trespassers;
- Removing, containing, or treating the source of the contamination;
- Providing homes and businesses with safe drinking water; and, as a last resort,
- ◆ Temporarily relocating residents away from site contamination.

"EPA can take action quickly if hazardous substances pose an immediate threat to human health or the environment."

3

Site Inspection

If the preliminary assessment shows that hazardous substances at the site may threaten residents or the environment, EPA performs a site inspection. During the site inspection, EPA or the State collects samples of the suspected hazardous substances in nearby soil and water. EPA may initiate a concurrent SI/remedial investigation at those sites that are most serious and determined early as requiring long-term action. Sometimes, wells have to be drilled to sample the ground water. Site inspectors may wear protective gear, including coveralls and respirators, to protect themselves against any hazardous substances present at the site. Samples collected during the site inspection are sent to a laboratory for analysis to help EPA answer many questions, such as:

 Are hazardous substances present at the site? If so, what are they, and approximately how much of each substance is at the site?

- ✦ Have these hazardous substances been released into the environment? If so, when did the releases occur, and where did they originate?
- Have people been exposed to the hazardous substances? If so, how many people?
- Do these hazardous substances occur naturally in the immediate area of the site? At what concentrations?
- Have conditions at the site gotten worse since the preliminary assessment? If so, is an early action or removal needed? (See box above.)

Often, the site inspection indicates that there is no release of major contamination at the site, or that the hazardous substances are safely contained and have no possibility of being released into the environment. In these situations, EPA decides that no further Federal inspections or remedial actions are needed. This decision is referred to as site evaluation accomplished. (See page 5 for more details on the site evaluation accomplished decision.)

At the completion of the site inspection, a report is prepared. This report is available to the public-call your EPA regional Superfund office for a copy. See page 8 for the phone numbers of these offices.

"During the site inspection, EPA or the State collects samples of the suspected hazardous substances in nearby soil and water."

At sites with particularly complex conditions, EPA may need to perform a second SI to obtain legally defensible documentation of the releases.

Because EPA has limited resources, a method has been developed to rank the sites and set priorities throughout the nation. That method, known as the Hazard Ranking System, is the next step in the site assessment process.

Hazard Ranking System

EPA uses the information collected during the preliminary assessment and site inspection to evaluate the conditions at the site and determine the need for long-term remedial actions. When evaluating the seriousness of contamination at a site, EPA asks the following questions:

- Are people or sensitive environments, such as wetlands or endangered species, on or near the site?
- What is the toxic nature and volume of waste at the site?
- What is the possibility that a hazardous substance is in or will escape into ground water, surface water, air, or soil? Based on answers to these

questions, each site is given a score between zero and 100. Sites that score 28.5 or above move to the next step in the process: listing on the National Priorities List. Sites that score below 28.5 are referred to the State for further action.

National Priorities
List

Sites that are listed on the National Priorities List present a potential threat to human health and the environment, and require further study to determine what, if any, remediation is necessary. EPA can pay for and conduct

In many instances, site investigators find that petential sites do not warrant Federal action under the Superlund program. This conclusion can be attributed to one of two reasons:

Fadination Toonibustion

- The contaminants present at the site do not pose a major threat to the local population or environment; or
- The site should be addressed by another Federal authority, such as EPA's Resource Conservation and Recovery Act (RCRA) hazardous waste management program.

When investigators reach this conclusion, the site evaluation is considered accomplished. A site can reach this point at several places during the site assessment process, namely at the conclusion of the preliminary assessment or the site inspection, or once the site is scored under the Hazard Ranking System.

remedial actions at NPL sites if the responsible parties are unable or unwilling to take action themselves. There are three ways a site can be listed on the National Priorities List:

- It scores 28.5 or above on the Hazard Ranking System;
- If the State where the site is located gives it top priority, the site is listed on the National Priorities List regardless of the HRS score; or
- EPA lists the site, regardless of its score, because all of the following are true about the site:
  - ▼ The Agency for Toxic Substances and Disease Registry (ATSDR), a group within the U.S. Public Health Service, issues a health advisory recommending that the local population be dissociated from the site (i.e., that the people be temporarily relocated or the immediate public health threat be removed);
  - ▼ EPA determines that the site poses a significant threat to human health; and
  - ▼ Conducting long-term remediation activities will be more effective than

addressing site contamination through early actions.

The list of proposed sites is published in the Federal Register, a publication of legal notices issued by Federal agencies. The community typically has 60 days to comment on the list. After considering all comments, EPA publishes a list of those sites that are officially on the National Priorities List. When a site is added to the National Priorities List, the site assessment is completed. Long-term actions take place during the next phase. See page 6 for more details on longterm actions.

# As a Concerned Citizen, How Can I Help?


- Read this fact sheet.
- Call EPA with any potential sites in your area.
- Provide EPA with site information.
- Comment on proposed listing of sites on the National Priorities List.
- If the site is listed on the NPL, work with your citizens' group to apply for a technical assistance grant.



# Addressi Sites in the Long Term

Once a site is placed on the National Priorities List, it enters the long-term or remedial phase. The stages of this phase include:

- Investigating to fully determine the nature and extent of contamination at the site, which can include a public health assessment done by the ATSDR;
- Exploring possible technologies to address site contamination;
- Selecting the appropriate technologies—also called remedies;
- ✓ Documenting the selected remedies in a record of decision (ROD);
- Designing and constructing the technologies associated with the selected remedies;
- ✓ If necessary, operating and maintaining the technologies for several years (e.g., long-term treatment of ground water) to ensure safety levels are reached; and
- Deleting the site from the National Priorities List, completing Superfund's process and mission.



# Some Commonly Asked Question:

Q: What exactly is a site?

A: EPA designates the area in which contamination exists as the "site." Samples are taken to define the area of contamination. At any time during the cleanup process the site may be expanded if contamination is discovered to have spread further.

Q: How long will it take to find out If a threat exists?

A: Within one year of discovering the site, EPA must perform a preliminary assessment. The preliminary assessment allows EPA to determine if there is an immediate danger at the site; if so, EPA takes the proper precautions. You will be notified if you are in danger. EPA may also contact you to determine what you know about the site.

Q: What is the State's role in all these investigations?

A: The State can take the lead in investigating and addressing contamination. It also provides EPA with background information on (1) immediate threats to the population or environment, and (2) any parties that might be responsible for site contamination. The State shares in the cost of any long-term actions conducted by the Superfund program, comments on the proposal of sites to the National Priorities List, and concurs on the selected remedies and final deletion of sites from the National Priorities List.

Q: Why are private contractors used to assess sites?

A: EPA has a limited workforce. By using private contractors, EPA is able to investigate more sites. Also, EPA is able to draw on the expertise of private contracting companies.

Q: Why are there so many steps in the evaluation process? Why can't you just take away all the contaminated materials right now, just to be safe?

When EPA assesses a site, it first determines if contamination poses any threats to the health of the local population and the integrity of the environment. Dealing with worst sites first is one of Superfund's national goals. By evaluating contamination in a phased approach, EPA can quickly identify sites that pose the greatest threats and move them through the site assessment process. Once EPA understands the conditions present at a site, it searches for the remedy that will best protect public health and the environment. Cost is only one factor in weighing equally protective remedies. Many sites do not warrant actions because no major threat exists. However, if a significant threat does exist, EPA will take action.

# about Superfund Sites

- Q: If a site is added to the National Priorities List, how will we know when EPA has completed the cleanup efforts?
   A: EPA notifies the public and requests their comments on the actions
- A: EPA notifies the public and requests their comments on the actions proposed to treat site contaminants. In addition, the community is notified when a site will be deleted from the National Priorities List. The entire process can take as long as 7 years; at sites where ground water is contaminated, it can take even longer.
- Q: I live next door to a site and I see EPA and contractor personnel wearing "moon suits." Am I safe?
- A: EPA and contractor personnel wear protective gear because they might actually be handling hazardous materials. Also, these people are regularly exposed to contaminants at different sites and do not always know what contaminants they are handling. EPA takes steps to protect the public from coming in contact with the site contamination. If a dangerous situation arises, you will be notified immediately.
- Q: If a site is added to the National Priorities List, who pays for the activities?
- A: EPA issues legal orders requiring the responsible parties to conduct site cleanup activities under EPA oversight. If the parties do not cooperate, Superfund pays and files suit for reimbursement from responsible parties. The sources of this fund are taxes on the chemical and oil industries; only a small fraction of the fund is generated by income tax dollars.
- Q: How can I get more information on any health-related concerns?
- A: Contact your EPA regional Superfund office for more information. The ATSDR also provides information to the public on the health effects of hazardous substances. Ask your EPA regional Superfund office for the phone number of the ATSDR office in your region.
- Q: How can I verify your findings? What if I disagree with your conclusions?
- A: You can request copies of the results of the site assessment by writing to your EPA regional Superfund office. The public is given the opportunity to comment on the proposal of a site to the National Priorities List and the actions EPA recommends be taken at the site. If a site in your community is listed on the National Priorities List, a local community group may receive grant funds from EPA to hire a technical advisor. Call your EPA regional Superfund office (see page 8) for the location of an information repository and for information on applying for a technical assistance grant.
- Q: How can I get further information? How can I get a list of the sites EPA has investigated?
- A: Contact your EPA regional Superfund office (see page 8) for more information and a list of sites in your area.

William Commence



For information on the Superfund program or to report a hazardous waste emergency, call the national numbers below.

#### U.S. EPA Headquarters Hazardous Site Evaluation Division

Site Assessment Branch 703-603-8860

# Federal Superfund Program Information

EPA Superfund Hotline 800-424-9346

#### **Emergency Numbers:**

#### Hazardous Waste Emergencies

National Response Center 800-424-8802

# ATSDR Emergency Response Assistance

Emergency Response Line 404-639-0615

questions and information on opportunities for public involvement, contact your region's Superfund community relations office.

EPA Region 1: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont

Superfund Community Relations Section .617-565-2713

EPA Region 2: New Jersey, New York, Puerto Rico, Virgin Islands

Superfund Community
Relations Branch
212-264-1407

EPA Region 3: Delaware, District of Columbia, Maryland, Pennsylvania, Virginia, West Virginia

Superfund Community
Relations Branch
800-438-2474

EPA Region 4: Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee

Superfund Site Assessment Section 404-347-5065

Michigan, Minnesota, Ohio, Visconsin

Office of Superfund 312-353-9773

EPA Region 6: Arkansas, Louisiana, New Mexico, Oklahoma, Texas

Superfund Management
Branch, Information
Management Section
214-655-6718

EPA Region 7: Iowa, Kansas, Missouri, Nebraska

Public Affairs Office 913-551-7003

EPA Region 8: Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming

Superfund Community Involvement Branch 303-294-1124

EPA Region 9: Arizona, California, Hawaii, Nevada, American Samoa, Guam

Superfund Office of Community Relations 800-231-3075

EPA Region 10: Alaska, Idaho, Oregon, Washington

Superfund Community Relations 206-553-2711